

# POWER TOOLS BROCHURE

2022 / 2023

# STANLEY

**STANLEY**  
PERFORMANCE IN ACTION.

**4V / 12V / 18V  
CORDLESS  
POWER  
TOOLS**

**SCS4K**



**4V Lithium Screwdriver**

Voltage	4 V
No Load Speed	220 RPM
Torque	4.5 Nm
Bit Holder	6.35 mm / 1/4"
Unit Weight	0.39 kg

**SCD121S2K-B1**



**10mm 12V Drill Driver**

Voltage	12 V
No Load Speed	0 - 400 / 0 - 1500 RPM
Marked Torque	26 Nm
Chuck Capacity	10 mm / 3/8"
Unit Weight	1.0 kg

**SCI121S2-B1**



**6.35mm 12V Impact Driver**

Voltage	12 V
No Load Speed	0 - 2500 RPM
Marked Torque	110 Nm
Chuck Capacity	6.35 mm / 1/4" (Hex)
Unit Weight	1.0 kg

**SCH121S2-B1**



**10mm 12V Hammer Drill Driver**

Voltage	12 V
No Load Speed	0 - 400 / 0 - 1500 RPM
Marked Torque	26 Nm
Chuck Capacity	10 mm / 3/8"
Unit Weight	1.1 kg

**SCR121S2K-B1**



**12V Reciprocating Saw**

Voltage	12 V
No Load Speed	0 - 2700 SPM
Cutting Length	20 mm
Spindle Thread	M10
Unit Weight	1.05 kg

**SBD201D2K-B1** brushless



**13mm 18V Brushless Drill Driver**

Voltage	18 V
No Load Speed	0 - 430 / 0 - 1700 RPM
Marked Torque	47 Nm
Chuck Capacity	13 mm / 1/2"
Unit Weight	1.54 kg

**SBR20M2K-B1** brushless



**18V Brushless SDS+ Rotary Hammer**

Voltage	18 V
No Load Speed	0 - 2200 RPM
Impact Rate	0 - 5775 BPM
Chipping	Yes
Unit Weight	2.8 kg



**V20  
CORDLESS  
POWER  
TOOLS**

**SBD710D2K-B1** brushless



**13mm 20V Brushless Drill Driver**

Voltage	20 V
No Load Speed	0 - 600 / 0 - 1900 RPM
Max. Torque	60 Nm
Chuck Capacity	13 mm / 1/2"
Unit Weight	1.2 kg

**SCD711C2K-B1**



**13mm 20V Brush Hammer Driver**

Voltage	20 V
No Load Speed	0 - 1500 RPM
Impact Rate	25500 BPM
Max. Torque	60 Nm
Unit Weight	1.5 kg

**SBD715D2K-B1** brushless



**13mm 20V Brushless Hammer Driver**

Voltage	20 V
No Load Speed	0 - 1900 RPM
Impact Rate	32300 BPM
Max. Torque	60 Nm
Unit Weight	1.2 kg

**SB1810D2K-B1** brushless



**20V Brushless Impact Driver**

Voltage	20 V
No Load Speed	0 - 2800 RPM
Impact Rate	3500 BPM
Max. Torque	170 Nm
Unit Weight	0.9 kg

**SBW910MK-B1** brushless



**20V Brushless Impact Wrench**

Voltage	20 V
No Load Speed	0 - 2800 RPM
Impact Rate	3500 BPM
Max. Torque	280 Nm
Unit Weight	1.0 kg

**SCG400-B1**



**125mm 20V Brush Small Angle Grinder**

Voltage	20 V
No Load Speed	0 - 9000 RPM
Max. Disc Diameter	125 mm / 5"
Spindle Thread	M10
Unit Weight	2.2 kg

**SCJ600-B1**



**20V Brush Jigsaw**

Voltage	20 V
No Load Speed	0 - 2500 SPM
Max. Cutting	65 mm
Bevel Cutting	45°
Unit Weight	2.62 kg

**SBC550-B1** brushless



**185mm 20V Brushless Circular Saw**

Voltage	20 V
No Load Speed	0 - 5000 RPM
Blade Diameter	185 mm / 7"
Max. Depth of Cut	65 mm
Unit Weight	3.2 kg

**SCT500D2K-B1**



**20V Brush Multi Cutting Tool**

Voltage	20 V
No Load Speed	8000 - 18000 OPM
Oscillating Angle	1.8 / 2.8°
Blade Clamp	Tool Free
Unit Weight	1.4 kg

\* Pictures are for illustration purpose only. \* Specifications are subject to change without prior notice.

Designed by Leeden Hercules MARCOM Department.



SCBL01-B1



20V Brush Blower

BARE TOOL

Voltage	20 V
No Load Speed	0 - 16500 RPM
Air Flow	160 m³/hr
Air Volume	2.7 m³/min
Unit Weight	1.5 kg

SCN616D2K-B1



20V 16-Gauge Finishing Nail

Voltage	20 V
Nail Diameter	1.6 mm (16g)
Nail Length	25 - 64 mm
Capacity Gauge	16 Ga
Unit Weight	2.6 kg

SCV002-B1



20V 7.5L Wet and Dry Vacuum

BARE TOOL

Voltage	20 V
Max. Suction Capacity	60 mbar
Capacity	7.5 Litre
Hose Length	2.4 M
Unit Weight	3.32 kg

**CONCRETE POWER TOOLS**

STEL506K



24mm 750W SDS+ Rotary Hammer

30 MM Wood  
13 MM Metal  
24 MM Concrete

Power	750 W
No Load Speed	0 - 1050 RPM
Impact Rate	0 - 5200 BPM
Chuck Capacity	24 mm
Unit Weight	2.8 kg

SHR263KA-XD



26mm 800W SDS+ Rotary Hammer

30 MM Wood  
13 MM Metal  
26 MM Concrete

Power	800 W
No Load Speed	0 - 700 RPM
Impact Rate	0 - 3400 BPM
Chuck Capacity	26 mm
Unit Weight	5.1 kg

STHR272KS-XD



26mm 850W 5KG L-Shape Hammer

26 MM Concrete

Power	850 W
No Load Speed	0 - 700 RPM
Impact Rate	0 - 3400 BPM
Chuck Capacity	26 mm
Unit Weight	5.1 kg

STHM5KHV-XD



17mm 1010W 5KG Chipping Hammer

Power	1010 W
Impact Rate	0 - 2900 BPM
Impact Energy	8.5 J
Chuck Capacity	17 mm (Hex)
Unit Weight	6.1 kg

STHM10K-B1



12mm 1600W 10KG SDS Max Chipping Hammer

Power	1600 W
Impact Energy	0 - 900 / 1890 BPM
Impact Rate	14.7 J
Chuck Capacity	12 mm
Unit Weight	10.5 kg

SDR1400-XD



1400W Mud Mixer

Power	1400 W
No Load Speed	0 - 430 / 800 RPM
Mixing Paddle	140 mm
Mixture Volume	120 Litre
Unit Weight	3.5 kg

STSP125-B1



125mm 1320W High Power Tile Cutter

5 INCH

Power	1320 W
No Load Speed	0 - 13000 BPM
Wheel Diameter	125 mm / 5"
Max. Depth of Cut	41 mm
Unit Weight	3.1 kg

**DRILL POWER TOOLS**

SDR3006-XD



6.5mm 300W Rotary Drill

15 MM Wood  
6.5 MM Steel

Power	300 W
No Load Speed	0 - 4500 RPM
Chuck Capacity	6.5 mm
Cord Length	2.0 M
Unit Weight	0.95 kg

STDR5510-XD



10mm 550W Rotary Drill

25 MM Wood  
10 MM Metal

Power	550 W
No Load Speed	0 - 2800 RPM
Chuck Capacity	1.5 - 10 mm
Cord Length	2.3 M
Unit Weight	1.55 kg

SDH600KV-XD



13mm 550W Percussion Drill (Value Pack)

25 MM Wood  
13 MM Metal  
13 MM Concrete

Power	550 W
No Load Speed	0 - 2900 RPM
Impact Rate	0 - 49300 IPM
Chuck Capacity	1.5 - 13 mm
Unit Weight	1.75 kg

STDH7213V



13mm 720W Percussion Drill (Value Pack)

32 MM Wood  
13 MM Metal  
16 MM Concrete

Power	720 W
No Load Speed	0 - 3000 RPM
Impact Rate	0 - 54000 IPM
Chuck Capacity	13 mm
Unit Weight	2.4 kg

**METAL WORKING POWER TOOLS**

STGS6100



100mm 680W Small Angle Grinder

4 INCH

Power	680 W
No Load Speed	0 - 11000 RPM
Switch Type	Slide
Wheel Diameter	100 mm / 4"
Unit Weight	1.8 kg

STGS8100-XD



100mm 850W Small Angle Grinder

4 INCH

Power	850 W
No Load Speed	0 - 11000 RPM
Switch Type	Slide
Wheel Diameter	100 mm / 4"
Unit Weight	2.2 kg

SL227



180mm 2200W Large Angle Grinder

7 INCH

Power	2200 W
No Load Speed	8500 RPM
Switch Type	Slide
Wheel Diameter	180 mm / 7"
Unit Weight	4.3 kg

SP137



180mm 1300W Compact Polisher

7 INCH

Power	1300 W
No Load Speed	0 - 500 / 3600 RPM
Wheel Diameter	180 mm / 7"
Cord Length	2.3 M
Unit Weight	3.2 kg

STEL861-B1



500W Die Grinder

Power	500 W
No Load Speed	0 - 30000 RPM
Switch Type	Toggle
Collect Size	6 mm
Unit Weight	2.0 kg

SSC22-XD



355mm 2200W Chop Saw

14 INCH

Power	2200 W
No Load Speed	3800 RPM
Wheel Diameter	355 mm / 14"
Cord Length	2.5 M
Unit Weight	15.5 kg

**PRESSURE WASHER**

SW19-XD



130Bar 1900W Pressure Washer

130 BAR

Power	1900 W
Max. Pressure	130 Bar
Max. Water Flow	6.6 l/min
Motor Type	Induction
Unit Weight	13.0 kg

\* Pictures are for illustration purpose only. \* Specifications are subject to change without prior notice.

Designed by Leeden Hercules MARCOM Department.



**SAW & WOOD WORKING POWER TOOLS**

**SJ45**



**65 MM**  
Wood

**450W Jig Saw**

Power	450 W
Variable Speed	500 - 3000 RPM
Max. Cutting (Wood)	65 mm
Stroke Length	19 mm
Unit Weight	1.8 kg

**SJ60-XD**



**75 MM**  
Wood

**600W Jig Saw**

Power	600 W
Variable Speed	500 - 3000 RPM
Max. Cutting (Wood)	75 mm
Stroke Length	19 mm
Unit Weight	1.9 kg

**SST1801-B1**



**10 INCH**

**254mm 1800W Table Saw**

Power	1800 W
No Load Speed	0 - 4800 RPM
Blade Diameter	254 mm / 10"
Bevel Cutting	+/- 45°
Unit Weight	27.2 kg

**SC16**



**7 INCH**

**185mm 1600W Circular Saw**

Power	1600 W
No Load Speed	0 - 5500 RPM
Blade Diameter	185 mm / 7"
Max. Cutting Depth	65 mm
Unit Weight	3.9 kg

**SM16-B1**



**10 INCH**

**254mm 1650W Compound Miter Saw**

Power	1650 W
No Load Speed	0 - 4800 RPM
Blade Diameter	254 mm / 10"
Max. Cutting Depth	75 mm
Unit Weight	13.6 kg

**SM18**



**10 INCH**

**254mm 1800W Sliding Miter Saw**

Power	1800 W
No Load Speed	0 - 4800 RPM
Blade Diameter	254 mm / 10"
Miter Cutting Range	-47° to 52°
Unit Weight	18.6 kg

**SS24**



**1/4" 240W Sheet Sander**

Power	240 W
No Load Speed	0 - 14000 OPM
Housing Diameter	61 mm
Sanding Pad Size	112 x 106 mm
Unit Weight	1.1 kg

**SS30**



**125mm 300W Random Orbital Sander**

Power	300 W
No Load Speed	0 - 13000 OPM
Orbital Diameter	2.0 mm
Sanding Pad Size	125 mm
Unit Weight	1.5 kg

**SSS310-B1**



**1/2" 310W Sheet Sander**

Power	310 W
No Load Speed	6000 - 10000 RPM
Platten Size	115 x 230 mm
Sanding Pad Size	115 x 280 mm
Unit Weight	2.4 kg

**STEL630-B1**



**1/2" 750W Planer**

Power	750 W
No Load Speed	16500 RPM
Rebating Depth	12 mm
Depth of Cut	0 - 2.0 mm
Unit Weight	2.7 kg

**STEL670-B1**



**2000W Heat Gun**

Power	2000 W
Heat Setting	Variable
Temperature	50 - 450 / 90 - 600 °C
Cord Length	3.0 M
Unit Weight	1.2 kg

**STPT600-B1**



**600W Blower**

Power	600 W
No Load Speed	0 - 16000 RPM
Air Volume	3.5 m³/min
Cord Length	3.0 M
Weight	1.7 kg

**STANLEY.**  
PERFORMANCE IN ACTION.

**STANLEY**  
**2 YEAR**  
**LIMITED**  
**WARRANTY**

STANLEY® is confident of the quality of its products and offers an outstanding warranty for customers. STANLEY® have identified a need amongst our end-users for a lengthier warranty policy. Therefore, STANLEY® will offer 2 year limited warranty for customers who purchased STANLEY® tools.

**STANLEY.**  
**BATTERIES & CHARGER**

**SCB12S**



**12V 1.5Ah Lithium Ion Battery**

Voltage	12 V
Battery Chemistry	Li-ion
Battery Capacity	1.5 Ah
Dimension (with box)	90 x 100 x 60 mm
Weight (with box)	265 g

**SCB20D**



**18V 2.0Ah Lithium Ion Battery**

Voltage	18 V
Battery Chemistry	Li-ion
Battery Capacity	2.0 Ah
Dimension (with box)	60 x 120 x 80 mm
Weight (with box)	366 g

**SB202-B1**



**20V 2.0Ah Lithium Ion Battery**

Voltage	20 V
Battery Chemistry	Li-ion
Battery Capacity	2.0 Ah
Dimension (with box)	80 x 121 x 53 mm
Weight (with box)	500 g

**SC200-B1**



**20V Lithium Ion Charger**

Charger Input	0.8 A
Charger Output	2 A
Battery Type Charger	Li-ion
Dimension (box)	170 x 12 x 58 mm
Weight	200 g

**DCB127**

**XR LI-ION**



**12V 2.0Ah XR Lithium Ion Battery**

Voltage	12 V
Battery Chemistry	Li-ion
Battery Capacity	2.0 Ah
Dimension (with box)	90 x 105 x 60 mm
Weight (with box)	263 g

**DCB182-XJ**

**XR LI-ION**



**18V 4.0Ah XR Lithium Ion Battery**

Voltage	18 V
Battery Chemistry	Li-ion
Battery Capacity	4.0 Ah
Dimension (with box)	90 x 130 x 75 mm
Weight (with box)	669 g

**DCB183-B1**

**XR LI-ION**



**18V 2.0Ah XR Lithium Ion Battery**

Voltage	18 V
Battery Chemistry	Li-ion
Battery Capacity	2.0 Ah
Dimension (with box)	90 x 135 x 53 mm
Weight (with box)	500 g

**DCB112**



**10.8V - 20V Lithium Ion Charger**

Charger Input	0.8 A
Charger Output	3 A
Battery Type Charger	Li-ion
Dimension (box)	170 x 160 x 90 mm
Weight (with box)	473 g

**DEWALT.**  
**BATTERIES & CHARGER**

\*Pictures are for illustration purpose only. \*Specifications are subject to change without prior notice.



**DEWALT**  
GUARANTEED TOUGH.

**CORDLESS  
POWER  
TOOLS**

**DW055PL-XJ**



**16m Pocket Laser Distance**  
Measuring Range 55 ft (16.75 m)  
Measuring Accuracy\* ± 1/4" (± 6 mm)  
Battery Chemistry Rechargeable Li-Ion Battery  
Dimension (H x D x W) 62 x 17.5 x 32 mm  
Unit Weight 0.032 kg

**DW088CG-XJ**



**Self-Levelling Cross Line Laser**  
Measuring Range 15 m  
Measuring Accuracy\* ± 0.3 mm/m  
Battery Chemistry AA Batteries (3 pcs)  
Dimension (H x D x W) 133 x 112 x 61 mm  
Unit Weight 0.46 kg

**DCF008-B1**



**8V Screwdriver**  
Voltage 8 V  
No Load Speed 180 / 600 RPM  
Max. Torque 10 Nm (Screwdriver)  
Battery Capacity 1.5 Ah  
Unit Weight 0.65 kg

**DCD700C2-XD**



20 MM Wood  
10 MM Metal

**10mm 10.8V Compact Drill Driver**  
Voltage 10.8 V  
No Load Speed 0 - 450 / 1500 RPM  
Max. Torque 24 Nm  
Chuck Capacity 10 mm  
Unit Weight 0.91 kg

**DCD771C2A-B1**



20 MM Wood  
10 MM Metal

**13mm 18V Drill Driver**  
Voltage 18 V  
No Load Speed 0 - 450 / 1500 RPM  
Max. Torque 42 / 24 Nm  
Chuck Capacity 1.5 - 13 mm  
Unit Weight 1.63 kg

**DCD7771D2-B1**



30 MM Wood  
13 MM Metal

**13mm 20V Compact Drill Driver**  
Voltage 20 V  
No Load Speed 0 - 500 / 2000 RPM  
Max. Torque 65 / 26 Nm  
Chuck Capacity 1.5 - 13 mm  
Unit Weight 1.15 kg

**DCD791M2** brushless



40 MM Wood  
13 MM Metal

**13mm 18V Brushless Drill Driver**  
Voltage 18 V  
No Load Speed 0 - 550 / 2000 RPM  
Max. Torque 70 / 27 Nm  
Chuck Capacity 1.5 - 13 mm  
Unit Weight 1.1 kg

**DCD716C2K**



20 MM Wood  
10 MM Metal  
8 MM Masonry

**10mm 12V Compact Hammer Drill**  
Voltage 12 V  
No Load Speed 0 - 400 / 1500 RPM  
Max. Torque 30 Nm  
Chuck Capacity 10 mm  
Unit Weight 0.98 kg

**DCD776C2A-B1**



30 MM Wood  
13 MM Metal  
13 MM Masonry

**13mm 18V Hammer Drill**  
Voltage 18 V  
No Load Speed 0 - 450 / 1500 RPM  
Max. Torque 42 / 24 Nm  
Chuck Capacity 1.5 - 13 mm  
Unit Weight 1.34 kg

**DCD7781D2-B1**



30 MM Wood  
13 MM Metal  
13 MM Masonry

**13mm 20V Hammer Drill**  
Voltage 18 V  
No Load Speed 0 - 500 / 2000 RPM  
Max. Torque 65 / 26 Nm  
Chuck Capacity 1.5 - 13 mm  
Unit Weight 1.2 kg

**DCD796M2-B1** brushless



40 MM Wood  
13 MM Metal  
13 MM Masonry

**13mm 18V Brushless Hammer Drill**  
Voltage 18 V  
No Load Speed 0 - 550 / 2000 RPM  
Impact Rate 0 - 9350 / 34000 BPM  
Max. Torque 70 / 27 Nm  
Unit Weight 1.2 kg

**DCD985LS-KR**



50 MM Wood  
13 MM Metal  
16 MM Masonry

**13mm 18V Hammer Drill**  
Voltage 18 V  
No Load Speed 0 - 575 / 1850 / 2000 RPM  
Impact Rate 0 - 9755 / 22900 / 34000 BPM  
Max. Torque 80 / 38 Nm  
Unit Weight 1.77 kg

**DCF805C2A-B1**



**6.35mm 12V Impact Driver**  
Voltage 12 V  
No Load Speed 0 - 2450 RPM  
Max. Torque 107 Nm  
Chuck Capacity 6.35 mm / 1/4" (Hex)  
Unit Weight 1.77 kg

**DCF7871D2-B1** brushless



**6.35mm 20V Brushless Impact Driver**  
Voltage 20 V  
No Load Speed 0 - 2800 RPM  
Max. Torque 170 Nm  
Chuck Capacity 6.35 mm / 1/4" (Hex)  
Unit Weight 0.9 kg

**DCF902D2**



3/8 INCH

**3/8" 12V Compact Impact Wrench**  
Voltage 12 V  
Impact Rate 0 - 3600 IPM  
Max. Torque 168 Nm  
Chuck Capacity 9.5 mm / 3/8"  
Unit Weight 0.8 kg

**DCF880D2-KR**



1/2 INCH

**1/2" 18V Impact Wrench**  
Voltage 18 V  
Impact Rate 0 - 2700 IPM  
Max. Torque 203 Nm  
Chuck Capacity 12.7 mm / 1/2"  
Unit Weight 1.01 kg

**DCF897NT-XJ** brushless



3/4 INCH

**3/4" 18V Brushless Impact Wrench** BARE TOOL  
Voltage 18 V  
Impact Rate 0 - 2400 IPM  
Max. Torque 136 / 407 / 950 Nm  
Chuck Capacity 19 mm / 3/4"  
Unit Weight 2.6 kg

**DCF899HP2-KR** brushless



1/2 INCH

**13mm 18V Brushless Impact Wrench**  
Voltage 18 V  
Impact Rate 0 - 2400 IPM  
Max. Torque 950 Nm  
Chuck Capacity 13 mm (Hog Ring)  
Unit Weight 2.6 kg

**DCS312D2-GB** brushless



90 MM Wood  
40 MM Metal Profile  
90 MM Plastic Tube

**12V Brushless Reciprocating Saw**  
Voltage 12 V  
No Load Speed 0 - 2800 SPM  
Chuck Type Twist Lock  
Stroke Length 16 mm  
Unit Weight 1.38 kg

**DCS380M2-KR**



**18V Reciprocating Saw**  
Voltage 18 V  
No Load Speed 0 - 2950 SPM  
Keyless Blade Clamp Yes, 4-position  
Stroke Length 28.6 mm  
Unit Weight 2.7 kg

**DCH253M2-KR**



26 MM Wood  
13 MM Steel  
24 MM Concrete

**18V Heavy Duty 3 Mode SDS+ Rotary Hammer**  
Voltage 18 V  
No Load Speed 0 - 1200 RPM  
Impact Rate 0 - 4500 BPM  
Chuck Capacity 24 mm  
Unit Weight 2.5 kg

**DCH133P2-KR** brushless



30 MM Wood  
13 MM Steel  
26 MM Concrete

**26mm 18V Brushless 3 Mode SDS+ Rotary Hammer**  
Voltage 18 V  
No Load Speed 0 - 1500 RPM  
Impact Rate 0 - 5500 BPM  
Chuck Capacity 26 mm  
Unit Weight 2.27 kg

**DCH273P2-GB** brushless



26 MM Wood  
13 MM Steel  
24 MM Concrete

**24mm 20V Brushless 3 Mode SDS+ Rotary Hammer**  
Voltage 20 V  
No Load Speed 0 - 1100 RPM  
Impact Rate 0 - 4600 BPM  
Chuck Capacity 24 mm  
Unit Weight 2.27 kg

\* Pictures are for illustration purpose only. \* Specifications are subject to change without prior notice.



**DCG426N-XJ** brushless



**20V Brushless Die Grinder** BARE TOOL

Voltage	20 V
No Load Speed	0 - 1000 / 15000 / 25000 RPM
Max. Wheel Diameter	38 mm
Collect Size	6 mm
Unit Weight	1.2 kg

**DCG405P2** brushless



**100mm 18V Brushless Small Angle Grinder** 5 INCH

Voltage	18 V
No Load Speed	9000 RPM
Max. Disc Diameter	125 mm / 5"
Spindle Thread	M10
Unit Weight	2.37 kg

**DCM849N-XJ** brushless



**180mm 20V Brushless Polisher** 7 INCH

Voltage	20 V
No Load Speed	800 - 2200 RPM
Wheel Diameter	180 mm / 7"
Variable Speed	Yes
Unit Weight	1.9 kg

**DCS331N-XJ**



**20V Jigsaw** 135 MM Wood 10 MM Metal

Voltage	20 V
No Load Speed	0 - 3000 SPM
Stroke Length	26 mm
Bevel Capacity	45°
Unit Weight	2.4 kg

**DCS355N-XJ** brushless



**20V Brushless Oscillating Tool** BARE TOOL

Voltage	20 V
No Load Speed	0 - 20000 OPM
Oscillating Angle	1.6°
Blade Clamp	Tool Free
Unit Weight	1.1 kg

**DCS391N-XJ**



**165mm 20V Circular Saw** BARE TOOL

Voltage	20 V
No Load Speed	5150 RPM
Blade Diameter	165 mm
Bevel Capacity	50°
Unit Weight	2.9 kg

**DCW210N-XJ** brushless



**125mm 20V Random Orbital Sander** 5 INCH BARE TOOL

Voltage	20 V
No Load Speed	8000 - 12000 OPM
Orbital Size	2.6 mm
Sanding Paper Size	125 mm / 5"
Unit Weight	0.93 kg

**DCW600N-XJ** brushless



**8mm 20V Brushless Router (with Fixed Base)** BARE TOOL

Voltage	20 V
No Load Speed	16000 - 255000 RPM
Collet Size	6 - 8 mm
Max. Cutter Diameter	36 mm
Unit Weight	1.54 kg

**DCP580N-XJ** brushless



**20V Brushless Planer** BARE TOOL

Voltage	20V
No Load Speed	15000 RPM
Planing Depth	2 mm
Planing Width	82 mm
Unit Weight	2.5 kg

**DCE560N-XJ**



**310ml 18V Caulk Gun** BARE TOOL

Voltage	18 V
Push Force	2500N (254 kg)
Push Speed	51-533 mm/min
Carrier Size	300 - 310 ml
Unit Weight	1.8 kg

**DCL050-XJ**



**18V Handheld LED Worklight** BARE TOOL

Voltage	18 V
Bulb Type	LED
Light Output	250-500 lm
Runtime	22hours (5.0Ah)
Unit Weight	1.8 kg

**DCL079-XJ**



**18V LED Tripod Light** BARE TOOL

Voltage	18 V
Bulb Type	LED
Light Output	3000 / 1800 / 1000 lm
Runtime	8 hours at 3000 lm (5.0Ah)
Unit Weight	7.4 kg

**CONCRETE POWER TOOLS**

**D25133K-XD**



**26mm 800W 3 Mode SDS+ Rotary Hammer** 30 MM Wood 13 MM Steel 26 MM Concrete

Power	800 W
No Load Speed	0 - 1500 RPM
Impact Rate	0 - 5500 BPM
Chuck Capacity	26 mm
Unit Weight	2.6 kg

**D25143K-XD**



**28mm 900W 3 Mode SDS+ Rotary Hammer** 30 MM Wood 13 MM Steel 28 MM Concrete

Power	900 W
No Load Speed	0 - 1450 RPM
Impact Rate	0 - 5350 BPM
Chuck Capacity	28 mm
Unit Weight	3.1 kg

**D25144K-XD**



**28mm 900W 3 Mode SDS+ Rotary Hammer (with Quick Change Chuck)** 30 MM Wood 13 MM Steel 28 MM Concrete

Power	900 W
No Load Speed	0 - 1450 RPM
Impact Rate	0 - 5350 BPM
Chuck Capacity	28 mm
Unit Weight	3.1 kg

**D25333K-B1**



**30mm 950W 3 Mode SDS+ Rotary Hammer** 30 MM Wood 13 MM Steel 30 MM Concrete

Power	950 W
No Load Speed	0 - 1150 RPM
Impact Rate	0 - 5200 BPM
Chuck Capacity	30 mm
Unit Weight	3.7 kg

**D25413K-B1**



**32mm 1000W 3 Mode SDS+ Rotary Hammer** 32 MM Wood 13 MM Steel 32 MM Concrete

Power	1000 W
No Load Speed	0 - 820 RPM
Impact Rate	0 - 4700 BPM
Chuck Capacity	32 mm
Unit Weight	4.2 kg

**D25811K-XD**



**17mm 1050W Hex Demolition Hammer** 1350 W 3150 BPM

Power	1350 W
Impact Rate	3150 BPM
Variable Speed	Yes
Chuck Capacity	17 mm Hex
Unit Weight	5.7 kg

**DW862-B1**



**110mm 1270W Tile Cutter** 1270 W 13500 RPM

Power	1270 W
No Load Speed	13500 RPM
Blade Diameter	110 mm
Max. Depth of Cut	34 mm
Unit Weight	3.0 kg

**METAL WORKING POWER TOOLS**

**DW810B-XD**



**100mm 710W Small Angle Grinder** 4 INCH

Power	710 W
No Load Speed	12000 RPM
Max. Disc Diameter	100 mm / 4"
Spindle Thread	M10
Unit Weight	1.8 kg

**DWE8200S-XD / PL-XD**



**100mm 850W Small Angle Grinder (slide / paddle switch)** 4 INCH

Power	850 W
No Load Speed	12000 RPM
Max. Disc Diameter	100 mm / 4"
Spindle Thread	M10
Unit Weight	1.75 kg

**DWE4118-B1**



**100mm 950W Small Angle Grinder** 4 INCH

Power	950 W
No Load Speed	3000 - 11000 RPM
Max. Disc Diameter	115 mm / 4"
Spindle Thread	M14
Unit Weight	1.8 kg

**DW830**



**125mm 1400W Medium Angle Grinder** 5 INCH

Power	1400 W
No Load Speed	11000 RPM
Max. Disc Diameter	125 mm / 5"
Spindle Thread	M14
Unit Weight	3.1 kg

\* Pictures are for illustration purpose only. \* Specifications are subject to change without prior notice.



**DWE493-B1**



**7 INCH**

**180mm 2200W Large Angle Grinder**

Power	2200 W
No Load Speed	8500 RPM
Max. Disc Diameter	180 mm / 7"
Spindle Thread	M14
Unit Weight	5.1 kg

**DWE886S-B1 / P-XD**



**100mm 400W Small Angle Grinder (Slide / Paddle Switch)**

Power	400 W
No Load Speed	25000 RPM
Collect Size	6 mm
Cable Length	2.5 M
Unit Weight	1.65 kg

**D28730-XD**



**14 INCH**

**355mm 2300W Chop Saw**

Power	2300 W
No Load Speed	4000 RPM
Wheel Diameter	355 mm / 14"
Spindle Thread	M10
Unit Weight	15.5 kg

**DWP849X-B1**



**7 INCH**

**180mm 1250W Chop Saw**

Power	1250 W
No Load Speed	0 - 600 / 3500 RPM
Wheel Diameter	180 mm / 7"
Spindle Thread	M14
Unit Weight	3.0 kg

**DRILL  
POWER  
TOOLS**

**DWD014-XD**



**25 MM Wood**  
**10 MM Steel**

**10mm 550W Rotary Drill**

Power	550 W
No Load Speed	0 - 2800 RPM
Chuck Capacity	10 mm
Include Chuck Key	Yes
Unit Weight	1.3 kg

**DWD024K-B1**



**25 MM Wood**  
**10 MM Steel**  
**13 MM Masonry**

**10mm 550W Percussion Drill**

Power	550 W
No Load Speed	0 - 2800 RPM
Impact Rate	0 - 47600 BPM
Chuck Capacity	10 mm
Unit Weight	1.4 kg

**DW292-GB**



**1/2 INCH**

**1/2" 710W Impact Wrench**

Power	710 W
Impact Rate	2700 BPM
Max. Torque	440 Nm
Chuck Capacity	12.7 mm / 1/2"
Unit Weight	3.2 kg

**DW294-GB**



**3/4 INCH**

**3/4" 710W Impact Wrench**

Power	710 W
Impact Rate	2700 BPM
Max. Torque	440 Nm
Chuck Capacity	19 mm / 3/4"
Unit Weight	3.2 kg

**SAW &  
WOOD  
WORKING  
POWER  
TOOLS**

**DWE561-XD**



**7 INCH**

**185mm 1200W Compact Circular Saw**

Power	1200 W
No Load Speed	5500 RPM
Blade Diameter	184 mm / 7"
Bevel Capacity	50 °
Unit Weight	3.6 kg

**DW304PK-KR**



**280 MM Wood**  
**13 MM Steel & Pipes**  
**100 MM PVC**

**1050W Reciprocating Saw**

Power	1050 W
No Load Speed	0 - 2800 RPM
Keyless Blade Clamp	Yes, 4-position
Stroke Length	29 mm
Unit Weight	3.5 kg

**DWE349**



**85 MM Wood**  
**10 MM Metal**  
**20 MM Non-Ferrous Metal**

**650W Jigsaw**

Power	650 W
No Load Speed	800 - 3100 SPM
Stroke Length	20 mm
Bevel Capacity	45 °
Unit Weight	3.0 kg

**DW331K-B1**



**130 MM Wood**  
**12 MM Metal**  
**30 MM Non-Ferrous Metal**

**701W Top Handle Jigsaw**

Power	701 W
No Load Speed	0 - 3100 SPM
Stroke Length	26 mm
Bevel Capacity	45 °
Unit Weight	2.6 kg

**DWE641I-B1**



**1/4" 230W Sheet Sander**

Power	230 W
No Load Speed	14000 OPM
Orbit Size	1.6 mm
Sanding Pad Size	108 x 115 mm
Unit Weight	1.3 kg

**DWE6423-B1**



**125mm 280W Orbital Sander**

Power	280 W
No Load Speed	8000 - 12000 OPM
Orbit Size	125 mm / 5"
Sanding Pad Size	125 mm / 5"
Unit Weight	1.28 kg

**D26676-B1**



**1/16" 550W Portable Planer**

Power	550 W
No Load Speed	17000 rpm
Max. Depth Of Cut	1.5 mm / 1/16"
Planer Width	82 mm
Unit Weight	2.7 kg

**DW735-KR**



**13" 1800W Thickness Planer**

Power	1800 W
No Load Speed	3000 RPM (3000) / 10000 RPM (30000)
Max. Cutting	10mm (1/8") / 10mm (1/8")
Planer Type	Stationary
Unit Weight	38.5 kg

**DW714-XD**



**10 INCH**

**254mm 1650W Miter Saw**

Power	1650 W
No Load Speed	4600 RPM
Blade Diameter	254 mm / 10"
Max. Cutting Depth	89 mm
Unit Weight	13.1 kg

**DWS780-KR**



**12 INCH**

**305mm 1675W Slide Miter Saw**

Power	1675 W
No Load Speed	1900 - 3800 RPM
Blade Diameter	305 mm / 12"
Max. Cutting Depth	170 mm
Unit Weight	24.8 kg

**D2641I-B1**



**1800W Standard Heat Gun**

Power	1800 W
Temperature	50 - 400 / 50 - 600 °C
Air Flow	250/450 l/min
Nozzle Diameter	22 mm
Unit Weight	0.8 kg

**D26414-B1**



**2000W Digital LCD Heat Gun**

Power	2000 W
Temperature	50 - 600 °C
Air Flow	650 l/min
Nozzle Diameter	22 mm
Unit Weight	0.85 kg

**DWE7470-B1**



**10 INCH**

**254mm 1800W Table Saw**

Power	1800 W
No Load Speed	5000 RPM
Blade Diameter	254 mm / 10"
Bevel Cutting	0 - 45 °
Unit Weight	21.0 kg

**DWE6000-XD**



**6mm 390W Laminate Trimmer**

Power	390 W
No Load Speed	30000 RPM
Collet Size	6 mm
Max. Cutter Diameter	25.4 mm
Unit Weight	3.1 kg

**DWE315K-B1**



**300W Oscillating Multi Tool**

Power	300 W
No Load Speed	0 - 22000 OPM
Oscillating Angle	1.6 °
Blade Clamp	Tool Free
Unit Weight	1.48 kg

\* Pictures are for illustration purpose only. \* Specifications are subject to change without prior notice.



# XR FLEX VOLT™

POWER OF CORDED. | FREEDOM OF CORDLESS.

WE'VE CHANGED THE GAME WITH THE  
NEW DEWALT XR FLEXVOLT BATTERY



**DEWALT**  
**3** YEAR LIMITED WARRANTY

## GUARANTEED TOUGH.®

**54V XR FLEX VOLT** **5** INCH

**DCG200NT-XJ**  
54V Brushless 125mm Wall Chaser

**BARE TOOL**

Voltage	54 V
No Load Speed	9000 RPM
Blade Diameter	125 mm / 5"
Max. Cutting	12 mm (Depth) / 35 mm (Width)
Unit Weight	3.7 kg

**54V XR FLEX VOLT** **5** INCH

**DCG418NT-XJ**  
54V Brushless 125mm Angle Grinder

**BARE TOOL**

Voltage	54 V
No Load Speed	9000 RPM
Blade Diameter	125 mm / 5"
Spindle Thread	M10
Unit Weight	2.2 kg

**54V XR FLEX VOLT** **52** MM Concrete

**DCH773N-XJ**  
54V Brushless 52mm SDS-Max Hammer

**BARE TOOL**

Voltage	54 V
No Load Speed	145 - 290 RPM
Impact Rate	1105 - 2210 BPM
Impact Energy	19.4 J
Unit Weight	9.5 kg

**54V XR FLEX VOLT** **30** MM Wood  
**13** MM Metal  
**30** MM Concrete

**DCH333NT-XJ**  
54V Brushless 30mm 3 Mode SDS-Plus Hammer

**BARE TOOL**

Voltage	54 V
No Load Speed	0 - 1000 RPM
Impact Rate	0 - 4480 BPM
Impact Energy	4.2 J
Unit Weight	4.9 kg

**54V XR FLEX VOLT** **40** MM Concrete

**DCH481N-XJ**  
54V Brushless 40mm SDS-Max Combination Hammer

**BARE TOOL**

Voltage	54 V
No Load Speed	540 RPM
Impact Rate	3150 BPM
Impact Energy	6.3 J
Unit Weight	6.65 kg

**54V XR FLEX VOLT** **48** MM Concrete

**DCH733NT-XJ**  
54V Brushless 48mm SDS-Max Combination Hammer

**BARE TOOL**

Voltage	54 V
No Load Speed	177 - 355 RPM
Impact Rate	1350 - 2705 BPM
Impact Energy	13.3 J
Unit Weight	9.8 kg

**54V XR FLEX VOLT**

**DCM572N-XJ**  
54V Brushless Blower

**BARE TOOL**

Voltage	54 V
Blow Speed	0 - 207 km/h
Blow Area Volume	0 - 207 km/h
Variable Speed	Yes
Unit Weight	4.4 kg

**54V XR FLEX VOLT**

**DCM575N-XJ**  
54V Brushless 40mm Chain Saw

**BARE TOOL**

Voltage	54 V
Bar Length	40 cm
Chain Speed	15 m/s
Max. Cutting Capacity	40 cm
Unit Weight	5.4 kg

**54V XR FLEX VOLT**

**DCD240X2-GB**  
54V Brushless Paddle Mixer

**BARE TOOL**

Voltage	54 V
No Load Speed	0 - 725 RPM
Max. Paddle Size	14 mm
Spindle Thread	M14
Unit Weight	6.35 kg

**54V XR FLEX VOLT** **300** MM Wood  
**130** MM Pipe  
**160** MM PVC

**DCS388NT-XJ**  
54V Brushless Reciprocating Saw

**BARE TOOL**

Voltage	54 V
Stroke Rate	2400 SPM
Stroke Length	40 mm
Unit Weight	5.6 kg

**54V XR FLEX VOLT**

**DCS397N-XJ**  
54V Brushless Alligator Saw

**BARE TOOL**

Voltage	54 V
Stroke Rate	2400 SPM
Stroke Length	40 mm
Unit Weight	5.6 kg

**54V XR FLEX VOLT**

**DCS520NT-XJ**  
54V Brushless Plunge Saw

**BARE TOOL**

Voltage	54 V
No Load Speed	2500 - 4200 RPM
Blade Diameter	165 mm
Bevel Capacity	47 °
Unit Weight	4.7 kg

**54V XR FLEX VOLT** **7** INCH

**DCS577N-XJ**  
54V Brushless 190mm High Torque Circular Saw

**BARE TOOL**

Voltage	54 V
No Load Speed	5800 RPM
Blade Diameter	190 mm / 7"
Bevel Capacity	53 °
Unit Weight	6.05 kg

**54V XR FLEX VOLT** **9** INCH

**DCS690N-XJ**  
54V Brushless 230mm Cut-Off Saw

**BARE TOOL**

Voltage	54 V
No Load Speed	6600 RPM
Blade Diameter	230 mm / 9"
Max. Depth of	83 mm
Unit Weight	6.25 kg

**54V XR FLEX VOLT** **12** INCH

**DHS780T2-GB**  
54V Brushless 305mm Mitre Saw

**BARE TOOL**

Voltage	2x 54 V
No Load Speed	3800 RPM
Blade Diameter	305 mm / 12"
Bevel Capacity	49 °
Unit Weight	27.6 kg

\*Pictures are for illustration purpose only. \*Specifications are subject to change without prior notice.



# XR FLEXVOLT

POWER OF CORDED. | FREEDOM OF CORDESS.



## CORDLESS 54V POWER

Reliably undertake construction jobs not previously possible with cordless tools.



## LONGER RUNTIME

54V of power means jobs can be completed faster, for longer using less energy.



## POWER 18V AND 54V

Switches output based on which DEWALT tool the XR FLEXVOLT battery is plugged into.



## BACKWARDS COMPATIBLE

XR FLEXVOLT batteries can power all DEWALT 18V XR products.

## GUARANTEED TOUGH:

**54V XR FLEXVOLT** **8 INCH**

**DCS7485T2-GB**  
54V Brushless 210mm Table Saw

Voltage	54 V
No Load Speed	5800 RPM
Blade Diameter	210 mm / 8"
Bevel Capacity	-3 to 48 °
Unit Weight	21.5 kg

**54V XR FLEXVOLT**

**DCB546-XJ**  
54V 6.0Ah XR Flexvolt Battery

Voltage	18 / 54 V
Battery Chemistry	XR Li-ion Flexvolt
Battery Capacity	2.0 / 6.0 Ah
Dimension (LxWxH)	125 x 85 x 90 mm
Unit Weight	1.1 kg

**54V XR FLEXVOLT**

**DCB547-XJ**  
54V 9.0Ah XR Flexvolt Battery

Voltage	18 / 54 V
Battery Chemistry	XR Li-ion Flexvolt
Battery Capacity	3.0 / 9.0 Ah
Dimension (LxWxH)	138 x 87 x 97 mm
Unit Weight	1.46 kg

**54V XR FLEXVOLT**

**DCB548-XJ**  
54V 12.0Ah XR Flexvolt Battery

Voltage	18 / 54 V
Battery Chemistry	XR Li-ion Flexvolt
Battery Capacity	4.0 / 12.0 Ah
Dimension (LxWxH)	138 x 87 x 97 mm
Unit Weight	1.46 kg

**XR LI-ION**

**DCB118-KR**  
54V & 18V Charger (8A)

Charging Current	8 A
Battery Chemistry	XR Li-ion
Charging Time	60 min (6.0Ah)
LED Indicator	Yes
Unit Weight	0.65 kg

**XR**

**DT99560-QZ**  
165mm Circular Saw Blade

Blade Material	Tungsten Carbide
Blade Diameter	165 mm
Arbor Diameter	20 mm
Number of Teeth	24
Suitable for	DeWalt DCS7485

**XR**

**DT99561-QZ**  
165mm Circular Saw Blade

Blade Material	Tungsten Carbide
Blade Diameter	165 mm
Arbor Diameter	20 mm
Number of Teeth	42
Suitable for	DeWalt DCS7485

**XR**

**DT99576-QZ**  
305mm Circular Saw Blade

Blade Material	Tungsten Carbide
Blade Diameter	305 mm
Arbor Diameter	30 mm
Number of Teeth	78
Suitable for	DeWalt DH5780

**XR**

**DT99565-QZ**  
210mm Circular Saw Blade

Blade Material	Tungsten Carbide
Blade Diameter	210 mm
Arbor Diameter	30 mm
Number of Teeth	24
Suitable for	DeWalt DCS7485

**XR**

**DT99566-QZ**  
210mm Circular Saw Blade

Blade Material	Tungsten Carbide
Blade Diameter	210 mm
Arbor Diameter	30 mm
Number of Teeth	36
Suitable for	DeWalt DCS7485

**XR**

**DT99567-QZ**  
210mm Circular Saw Blade

Blade Material	Tungsten Carbide
Blade Diameter	210 mm
Arbor Diameter	30 mm
Number of Teeth	60
Suitable for	DeWalt DCS7485

**XR**

**DT2976-QZ**  
430mm Alligator Saw Blade

TIP Material	TCT
Blade Length	430 mm
Primary Application	Class 20 Poroton, Building Block
Suitable for	DCS397

**XR**

**DT2979-QZ**  
430mm Alligator Saw Blade

TIP Material	HSS
Blade Length	430 mm
Primary Application	Insulation
Suitable for	DeWalt DCS397



DEWALT® believe a solid warranty package ensures the safety, reliability and service our products are meant to deliver from the beginning to the end of every job.

The DEWALT® 3 year limited warranty covers manufacturing defects and labour for all products.

Distributed by:



\* Pictures are for illustration purpose only. \*Specifications are subject to change without prior notice.

Designed by Leeden Hercules MARCOM Department.