



# Company Profile

2020



## About us and our Company

***“The Largest Showroom In the Region For Safety, Welding and Industrial Gases Products.”***

**Leeden Hercules Sdn Bhd** has offices, showrooms and manufacturing facilities spanning across Peninsular Malaysia. With strategic presence in Malaysia, Leeden Hercules headquarter is located in Bukit Minyak, Penang. Leeden Hercules has been expanding robustly, increasing market share and entrenching our region presence through geographical diversification.

### Our Vision

To be the strongest and well-known brand in region and South East Asia (SEA).

### Our Mission

#### Customer

Adopting a professional approach to customer and responding speedily with excellent customer service.

#### Performance

To be highly efficient, effective and fast moving organization.


#### Group Member

Inspiring and motivating the confidence level of group members to achieve success.

## Our Branches and Outlets in Malaysia

Leeden Hercules Sdn Bhd is one of the largest showroom in the region for safety, welding and industrial gases products in Malaysia.

Our physical presence in Malaysia and Singapore come through a network of 12 branches and outlets, which the head office in Bukit Minyak, Penang.



# 1982

Our company was founded as Bersatu Machinery Gases in Bagan Serai, Perak.



# 2001

Hercules and NIG Singapore developed Malaysia 1st gas production Plant located in Bukit Minyak, Penang.



# 2008

The opening of our largest Welding, Gases & Safety showroom in Bukit Minyak, Penang.



# 2010

Launching new Dissolved Acetylene (DA) Plant in Bukit Minyak, Penang.

(The largest DA plant in North Malaysia)



# 2012

Launching new robotic welding services & training center in Bukit Minyak, Penang.



# 2014

Company rebranded as Leeden Hercules Sdn Bhd.

Organized CSR program to help NGOs. (Hercules Charity Run.)



# 2016

Expanded the showroom to 10,000 sqft and renamed as The Leeden Store. Our house brand, Auweld awarded the "Industry Star and Promising SME 500"



# 2017

Opening of our first mall concept outlet, The Leeden Store at Tesco Alma, Bukit Mertajam with 3710sqft.



# 2019

Opening of our second mall concept outlet, The Leeden Store at Tesco Rawang, Selangor with 7500sqft.



# 2020

Expanded Ipoh showroom to 15,000sqft and renamed as The Leeden Store.





## Core Business of our Company



### Gas Division

Specialty gases, industrial gases and medical gases.

Leeden Hercules's Gas Division is one of the major downstream manufacturer and suppliers specializing in industrial, medical, mixture, specialty gases and bulk gas.

With one of the largest dissolved acetylene plant in the region, manufacturing capabilities for high-pressure gases with pure grade purity and a fully equipped laboratory, Leeden Hercules Gases fulfills compressed gas requirements for an assortment of industries.



### Welding Division

Welding and cutting, power tools and robotics.

Leeden Hercules's Welding Division is the market leader in Malaysia providing total welding solutions.

It distributes a broad spectrum of products ranging from welding consumables, welding power source equipment and welding & cutting accessories, to specialized devices for the oil & gas industries, automotive, constructions and metal fabrication.



### Safety Division

Personal protection equipment, fire protection and safety products.

Leeden Hercules's Safety Division in Malaysia is equipped with the technical expertise to deliver customized and effective safety solution to our customers in the region.

From the provision of a comprehensive range of personal protection, fall protection and emergency respond to value-added services such as industry gases, consultancy for fire protection and personal protection.

# Total Gases Solutions

Backed by more than 30 years of expertise and market knowledge, Leeden Hercules supplies total solution to the industry nationally.

We offer a full range of gases including medical and industrial gas and market a wide range of products from industrial machineries to medical gas system backed up by specialist equipment, chemicals and services.

With our strategically located manufacturing and refilling facilities across the region in whole Peninsular Malaysia, we are able to respond to our customers' operational needs promptly with our gas supply.

We serve a wide spectrum of industries, including automotive, construction, engineering, petrochemical and aviation industries as well as shipyards, ship services, and oil & gas services industries.

With commitment to total gas solutions, we offer a full range of industrial gases, gas related services and consultancy services to ensure our clients' needs are met with excellence.



**Industrial & Specialty Gases**




**Liquid Gases**




**Medical Gases**

We offer gases for  
Life and Industries

**A. Industrial Gas Cylinder**




**B. Purified Gas Cylinder**



**C. Mixture Gas Cylinder**



**D. Medical Gas Cylinder Color Chart**





**Regular Type Regulator**  
201-10M-OX (Oxygen)  
201-1.5M-AC (Acetylene)



**Premium Type Regulator**  
202-10M-OX (Oxygen)  
202-1.5M-AC (Acetylene)



**Heavy Duty Regulator**  
301-10M-OX (Oxygen)  
301-1.5M-AC (Acetylene)



**Double Stage Regulator**  
501-15M-OX (Oxygen)  
501-1.5M-AC (Acetylene)



**Pipe Line Regulator**  
401-10M-OX (Oxygen)  
401-1.5M-AC (Acetylene)



Max Delivery Volumes : 180m<sup>3</sup>/hr

**Extra Heavy Duty Regulator**  
303-10M-OX (Oxygen)  
303-1.5M-AC (Acetylene)



**Piston Regulator**  
601-70M-OX (Working Pressure : 70 Bar)  
601-200M-OX (Working Pressure : 200 Bar)



**Balloon Regulator**  
701-2M-HE (Balloon Gas)



**LPG Regulator c/w Gauge**



**Small Heater CO<sub>2</sub> Regulator**  
220V



**HMG Flowmeter Regulator**  
HMG Argon Regulator  
HMG CO<sub>2</sub> Regulator



**Argon / CO<sub>2</sub> Flowmeter Regulator**  
101-25FL-AR  
101-25FL-CO



**Two Flowmeter CO<sub>2</sub> Regulator**  
105-25FL-CO



**Dual Stage CO<sub>2</sub> Regulator**  
505-25FL-CO



**CO<sub>2</sub> Heater Regulator**  
36V, 110V, 220V



**Click Flow Control Regulator**  
(CG870)



**Medical Gas Regulator (Bottom Entry)**  
(VSY-225)

**Stainless Steel Series**



**Single Stage Regulator**  
801-10M-OX (Oxygen)  
(Working Pressure : 10 Bar)



**Double Stage Regulator**  
808-10M-OX (Oxygen)  
(Working Pressure : 10 Bar)



**Aluminium Cylinders**  
(2.8L, 4.0L, 4.6L, 8.0L)



**Steel Cylinders**  
(41L, 47L, 50L)



**Portable 8L O2 and DA Cylinder Set with Trolley**  
(Cutting and Welding Set Trolley)



**2.8L Aluminium Medical Oxygen Bag Set**  
(Come with Regulator and Tube)

**Trolley**



**Cylinder Trolley**  
For Portable Single Cylinder



**Cylinder Trolley**  
For Portable Double Cylinder



**Cylinder Trolley**  
For Single Cylinder (Big)



**Cylinder Trolley**  
For Double Cylinder (2 Wheels)



**Cylinder Trolley**  
For Double Cylinder (3 Wheels)

**Manifold System**



**WR911**  
Semi Auto Gas Control Panel



**SYNC-0.75**  
Syncallcare Portable Fume Extractor  
Air Suction Arm : 1000m<sup>3</sup>/hr



Fume Extractor Filter



**SYNC-2.25**  
Syncallcare Portable Fume Extractor  
Air Suction Arm : 3600m<sup>3</sup>/hr



Fume Extractor Filter

**Cylinder Head Valve**



Oxygen / Argon / Nitrogen  
(BS#3)



Carbon Dioxide  
(BS#8)



Hydrogen Valve  
(BS#4)



Acetylene  
(BS#4)



Medical Pin Index



Top Entry  
(BS#3)



# Total Welding Solutions

Leeden Hercules' s welding division is a leader today in providing complete welding solutions to our customers in the region.

We offer a comprehensive range of products from welding & cutting equipment, accessories, CNC cutting system, pipe related equipment, abrasives and tools to welding consumables. We distribute a board spectrum of products ranging from internationally renowned agencies to our own in-house brands.

As a one-stop solutions provider for all welding requirements, we have a team of technical specialist to provide value-added services from procedure qualifications, evaluation and recommendation of welding consumables and equipment needs, product training, on-site assistance to trouble-shooting.

With our enviable geographical reach and expertise in serving the region's industries, Leeden Hercules is the best partner of many well-known companies in this industry.

Being part of continuously evolving and innovating industry, we are constantly adding products to our range to ensure we bring the latest welding technology to our customer.

Our products and services are applicable to a wide range of industries including metal fabrication, pipeline welding and joining, construction, heavy industries, oil & gases, offshore and marine.



**Welding and Cutting**



**Robotics**



**Power Tools**



**ARC Welder**



**Auweld 180V**



**Auweld 400V2**



**Auweld 500V2**

**ARC Accessories**



Welding Cable with Electrode Holder

**MIG Welder**



**Auweld Mini Evo 205V**



**Auweld MIG 255**



**Auweld XR5500**

**MIG Accessories**



MIG Torch and accessories

**TIG Welder**



**Auweld TIG 200P**



**Auweld XPR255P**



**Auweld TIG 400**

**TIG Accessories**



TIG Torch and accessories

**Plasma**



**AuCut 40**  
Recommended Cutting Thickness v/Max 10mm



**AuCut 60**  
Recommended Cutting Thickness v/Max 23mm



**Auweld Cut 100V**  
Recommended Cutting Thickness v/Max 30mm

**Plasma Accessories**



Plasma Torch and accessories



MIG Machine (GMAW)

MIG Machine Model	Wire Size (mm)
MIG 230	0.8 - 1.2
MIG 330	0.8 - 1.2



MC 15

MC 25

Spot Welder

Specification	MC 15	MC 25
Input Voltage	230 / 415 V	230 / 415 V
Input Current	20 kVA	45 kVA
Thickness	1.5 mm + 1.5mm	2.5 mm + 2.5mm



AC Transformer 220



AC Transformer 320



AC Transformer 420



AC Transformer 520



**Auweld Full Copper Welding Cable**

Application : Used as power feed leads from the welding power source to the electrodes.

Specification	mm <sup>2</sup>	OD (mm)
200 amp	25	11.3
300 amp	35	12.6
400 amp	50	15.5
500 amp	70	18.5



**Auweld Full Copper Welding Cable**  
(Insulating Material : Neoprene)



**Auweld Full Copper Welding Cable**  
(Insulating Material : PVC)



# Fast, Powerful & Productive

Leeden Hercules Showroom - Malaysia First Northern Service Center

*“OTC’s range of Advanced Arc Welding Robots have improved manipulator performance for shorter cycle times, allowing for even higher productivity than previous models.”*



**FD-B6**

Horizontal Reach  
1445mm



**FD-B6L**

Horizontal Reach  
2008mm



**FD-V8**

Horizontal Reach  
1437mm



(7-Axis Robot)

**FD-B4S**

Horizontal Reach  
1435mm

*“The all series (FD-B6, FD-B6L, FD-V8 & FD-B4S) provides a smooth approach to the welding start point, resulting in improved welding quality.”*



**Welbee P500L**

Pluse / Low-spatter Mode



**DM-350 CO<sub>2</sub> / MAG**

Welding Machine



**DA-300P**

AC / DC GTAW



**XD350SII / 500SII  
Thristor CO<sub>2</sub> / MAG**

Welding Machine



**1**  
PHASE



**Powermax 30 XP**

**Handheld Cut Capacity**

Recommended	10 mm (3/8")
Severance	16 mm (5/8")

**1**  
PHASE



**Powermax 30 Air**

**Handheld Cut Capacity**

Recommended	8 mm (5/16")
Severance	12 mm (1/2")

**3**  
PHASE



**Powermax 45 XP**

**Handheld Cut Capacity**

Recommended	16 mm (5/8")
Severance	29 mm (1 - 1/8")

**3**  
PHASE



**Powermax 65**

**Handheld Cut Capacity**

Recommended	20 mm (3/4")
Severance	32 mm (1 - 1/4")

**3**  
PHASE



**Powermax 85**

**Handheld Cut Capacity**

Recommended	25 mm (1")
Severance	38 mm (1 - 1/2")

**3**  
PHASE



**Powermax 105**

**Handheld Cut Capacity**

Recommended	32 mm (1 - 1/4")
Severance	50 mm (2")

**3**  
PHASE



**Powermax 125**

**Handheld Cut Capacity**

Recommended	38 mm (1 - 1/2")
Severance	56 mm (2 - 1/4")

**AUCUT Powermax CNC Plasma and Flame Cutting Machine**



**Specification**

Model	AUCUT-2540G
Effective Cutting Range (X * Y)	2000 * 3000 mm

**Portable CNC Cutting Machine (Plasma / Flame)**



**Specification**

Model	SYNC-1530F (Flame) SYNC-1530P (Plasma)
Effective Cutting Range (X * Y)	1500 * 3000 mm




**Profile Gas Cutting Machine  
TG2-150**  
Cutting Thickness : 6 - 100mm  
Diameter of Circle Cutting : 20 - 600mm  
Max. Size of Cutting Square : 500 x 500mm




**Manual Pipe Cutting Machine  
TG2-11G**  
Cutting Thickness : 6 - 50mm  
Diameter of Circle Cutting : 114 - 600mm



**Automatic Pipe Cutting Machine  
TG2-11D**  
Drive Method : Automatic  
Voltage : AC 220/50  
Diameter of Circle Cutting : 150 - 600mm



**Heavy Duty Gas Cutting Machine  
TK-12 MAX 1**  
Cutting Thickness : 6 - 100mm



**Heavy Duty Gas Cutting Machine  
TK-12 MAX 2**  
Cutting Thickness : 6 - 100mm



**Auto Gas Cutting Machine  
TK-12**  
Cutting Thickness : 6 - 100mm




**18" Medium Duty Cutting Torch**



**18" / 27" / 33" Heavy Duty Cutting Torch**



**Auweld Professional Welding Torch**




**American Type 3 Welding & Cutting Torch**



**7502 Welding Torch**



**7507 Welding & Cutting Torch**



**HE-506 LPG Heating Torch**

**Super Heating Torch**  
LPG Heating Tip : 2H / 3H / 4H / 5H



**Gas Twin Outlet  
O2 / DA**



**Flashback Arrestor for  
Regulator and Torch**



**Flint Lighter**

# Auweld Gold

## Cutting / Flexible / Grinding Wheels



### Cutting Wheel Series

105 x 1.2 x 16 mm **INOX**  
 100 x 2.5 x 16 mm  
 125 x 2.5 x 22 mm  
 180 x 3.0 x 22 mm  
 355 x 3.0 x 25.5 mm  
 405 x 3.0 x 25.5 mm

### Grinding Wheel Series

105 x 6.0 x 16 mm  
 125 X 6.0 X 22 mm  
 180 X 6.0 X 22 mm

### Flexible Grinding Wheel Series

103 x 3.0 x 16 mm **IRON FREE**

## Non-woven Abrasives



**Non-woven**  
(4" x 1")



**Non-woven**  
(8" x 1" / 8" x 2")  
Colour : Red



**Non-woven Cloth #320**  
(6" x 9")  
Colour : Red




**Non-woven Cloth #80**  
(6" x 9")  
Colour : Green

## Flap Disc



**4" Flap Disc (Red)**  
(#40 / #60 / #80 /  
#120 #240 / #320)



**4" Flap Disc (Blue)**  
(#80 / #120)

## Cup Brush (3" x M10 x 1.5mm)



**3" Coated Steel  
Wire Cup Brush**  
(Stainless Steel)



**3" Coated Steel  
Wire Cup Brush**  
(Twisted)



**3" Coated Steel  
Wire Cup Brush**  
(Standard / Premium)




MODEL	KA 38	KA 40	KA 50	KAS 50	KATV 55
Max. Diameter	38 mm	40 mm	50 mm	50 mm	55 mm
Max. Drilling Thickness	110 mm	110 mm	110 mm	110 mm	110 mm
Weight	10.50 kg	11.50 kg	13 kg	13.50 kg	13 kg
Magnetic Adhesion	1100 kg	1100 kg	1250 kg	1250 kg	1250 kg



MODEL	KATV 100	KALP 45
Max. Diameter	100 mm	45 mm
Max. Drilling Thickness	200 mm	55 mm
Weight	20.50 kg	11 kg
Magnetic Adhesion	2050 kg	1200 kg

ACCESSORIES



SERIES	30mm H-Broach	40mm J-Broach	55mm J-Broach
Cutting Capacity (thickness)	30 mm	40 mm	55 mm
Diameter	12 - 22 mm Pilot Pin 0635 : 12 - 17 x 30 mm Pilot Pin 0835 : 18 - 35 x 30 mm	12 - 40 mm Pilot Pin 0635 : 12 - 17 x 40 mm Pilot Pin 0835 : 18 - 35 x 40 mm	12 - 55 mm Pilot Pin 0650 : 12 - 17 x 55 mm Pilot Pin 0850 : 18 - 50 x 55 mm



MODEL	3500E	WA3500Q	3535M	3800E	5500T
Core Drill Diameter	35 mm	35 mm	35 mm	38 mm	45 mm
Rated Input Power	1500 w	1600 w	1600 w	1650 w	1650 w
Max. Attraction	14000 N	16000 N	16000 N	14500 N	15600 N
No-load Speed	800 / 100 - 800 rpm	910 rpm	910 rpm	570 rpm	90 - 225 / 160 - 405 rpm
Cutting Depth	30 mm	30 mm	35 mm	35 mm	35 mm
Net/ Gross Weight	10.25 / 15 kg	14 / 20.5 kg	11.50 / 18 kg	8.50 / 13 kg	15 / 18 kg

ANNULAR CUTTER



SERIES	35 mm J-Broach	50 mm J-Broach
Cutting Capacity	35 mm	50 mm
Diameter	12 - 35 mm	12 - 50 mm


PILOT PIN



SERIES	H6	H8
Size	H6 x 25L For 25mm series cutter size 12-16mm H6 x 35L For 35mm series cutter size 12-17mm H6 x 50L For 50mm series cutter size 12-17mm	H8 x 35L For 35mm series cutter size 18-35mm H8 x 50L For 50mm series cutter size 18-50mm H8 x 70L For 70mm series cutter size 18-50mm




### Cylinder with End Cut




Art.	d1	l2	d2	l1
11 5011 050	6	18	6	50
11 5011 075	8	20	6	65
11 5011 085	10	20	6	65
11 5011 100	12	25	6	70




Art.	d1	l2	d2	l1
11 3011 050	6	18	6	50
11 3011 075	8	20	6	65
11 3011 085	10	20	6	65
11 3011 100	12	25	6	70



Art.	d1	l2	d2	l1
11 5015 045	6	13	3	45
11 5015 075	8	20	6	65
11 5015 085	10	20	6	65
11 5015 100	12	25	6	70



### Ball Nosed Cylinder




Art.	d1	l2	d2	l1
11 5021 055	6	18	6	50
11 5021 075	8	20	6	65
11 5021 085	10	20	6	65
11 5021 105	12	25	6	70




Art.	d1	l2	d2	l1
11 3021 055	6	18	6	50
11 3021 075	8	20	6	65
11 3021 085	10	20	6	65
11 3021 105	12	25	6	70



Art.	d1	l2	d2	l1
11 5025 050	6	12.7	3	44
11 5025 075	8	20	6	65
11 5025 085	10	20	6	65
11 5025 100	12	20	6	65




### Ball Nosed Tree




Art.	d1	l2	d2	l1
11 5051 030	6	18	6	50
11 5051 035	8	20	6	65
11 5051 040	10	20	6	65
11 5051 050	12	25	6	70




Art.	d1	l2	d2	l1
11 3051 030	6	18	6	50
11 3051 035	8	20	6	65
11 3051 040	10	20	6	65
11 3051 050	12	25	6	70



Art.	d1	l2	d2	l1
11 5055 025	6	12	3	44
11 5050 035	8	20	6	65
11 5050 040	10	20	6	65
11 5050 050	12	25	6	70



### Tree



Art.	d1	l2	d2	l1
11 5061 035	6	18	6	50
11 5061 040	8	20	6	65
11 5061 045	10	20	6	65
11 5061 060	12	25	6	70




Art.	d1	l2	d2	l1
11 3061 035	6	18	6	50
11 3061 040	8	20	6	65
11 3061 045	10	20	6	65
11 3061 060	12	25	6	70



Art.	d1	l2	d2	l1
11 5065 030	6	12	3	44
11 5065 040	8	20	6	65
11 5065 045	10	20	6	65
11 5065 060	12	25	6	70




### Ball Nosed Cone



Art.	d1	l2	d2	l1
11 5081 020	6	18	6	50
11 5081 025	8	25	6	70
11 5081 035	10	30	6	75
11 5081 045	12	32	6	77



Art.	d1	l2	d2	l1
11 3081 020	6	18	6	50
11 3081 025	8	25	6	70
11 3081 035	10	30	6	75
11 3081 045	12	32	6	77



	Steel	Hardened Steel	Stainless	Cast Iron	Titanium	Cermet	Nickel	Copper	Alu	Plastics GRP / CRP	
● HP-3	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Optimal
● HP-7	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Good





**Welding Hand Shield**  
(Paper and Plastic)



**Welding Head Shield**



**Gas Welding Goggles**



**2" x 4" Black Lens**  
(Grade : #10, #11, #12)



**Auto Darkening Helmet**  
Color : Black (333)



**Auto Darkening Helmet**  
Color : Black (3366) / Red (3388)



**Auto Darkening Helmet**  
Color : Blue (606) / Red (608)



**Auto Darkening Glasses**



(Classic)



(Regular)

**Electrode Holder**  
(Classic : 300 , 500 , 800 amp)  
(Regular : 300 , 500 amp)



**Earth Clamp**  
(300 , 500 amp)



**Full Copper G-clamp**  
(600 amp)



**Anti-rust Spray**  
(400 ml)



**Brazing Flux**  
Aluminium (QJ201) /  
Silver (QJ102) / Copper (QJ301)



**TIG Pickling Paste**



**Penetrant Check**  
(No. : 1 , 2 , 3)



**MIG Nozzle Gel**  
(200 g)



**ANME / PNME**  
Gas Cutting Nozzles

**Nozzle Size (Inch)**

- 1/32
- 3/64
- 1/16
- 5/64
- 3/32
- 1/8

**Nozzle Size**

- 1
- 2
- 3



**M Type Cutting Nozzle**  
(For Acetylene Gas)

**Cutting Thickness (mm)**

- Max. 6.0
- 12.0
- 75.0
- 100.0
- 150.0
- 300.0

**Cutting Thickness (mm)**

- 1 - 5
- 5 - 15
- 15 - 30



**Screw Type Cable Connector**  
(500 amp)



**Chipping Hammer**  
(300 g)



**Dinse Type Cable Adaptor - Male / Female**  
(25 mm / 35 mm)



**Dinse Type Cable Connector - Female**  
(25 mm / 35 mm)



\*\* 1KG Packing: 308L, 309L, 316L, 29/9, 55% Cast Iron, 99% Cast Iron, and Aluminium.

### ARC Welding Electrode (SMAW)

- General Purpose - E6013
- Stainless Steel - E308, E309, E310, E312, E316, E347
- Cast Iron - 50N, 100N (99%), 150N (55%)
- Low Hydrogen - E7018
- Mild Steel Iron Powder - E6013, E6010, E6019, E7024
- Hardfacing - 350R, 700R, Mn-Ni, ARC 9 (55HRC), ARC 33 (60HRC), ARC 43 (65HRC), Hardfacing TC




### MIG Welding Wires (GMAW)

- Mild Steel Wire - E70S-6
- Stainless Steel Wire - 308, 309, 310, 312, 316, 347
- Aluminium Wire - 4043, 4047, 5356, 1100, 5183
- Cast Iron Wire - Ni55 (For Repairing Cast Iron)
- Flux Core Wire & High Tensile Steel - E71T-1
- Gasless Flux Core Wire - E71T-GS (1kg and 5kg)
- Flux Core Wire for Stainless Steel - 308LT, 309LT, 316LT
- Flux Core Wire for Hardfacing - H350, H33, H60



### TIG Rod (GTAW)

- Mild Steel & High Tensile Steel - E70S-6
- Stainless Steel Rod - 308LR, 309LR, 310R, 312R, 316LR, 347R
- Aluminium Rod - 4043R, 4047R, 5356R, 1100R
- Special Rod for Tooling & Moulding Rod - NTX-50R, BKH-13R, NINAK-R, BKD-61R, BK-660R, BKH-9R, CM-3R, BKD-11R
- Cast Iron Rod - Ni-55R (For Repairing Cast Iron)



### Mild Steel Rod for Oxygen - Acetylene Welding (Gas Welding)

- OSS-11 (Copper Coated)
- MSS Rod (Un-copper Coated)



### Silver Brazing Rod for Brazing

- Silver 0%, 5%, 15%, 30%, 45%



## GUARANTEED TOUGH®

### CORDLESS



<b>Model</b>	DCD700C2-XD	DCF805C2A	DCD985LS-KR	DCH133P2-KR	DCF899HP2v
<b>Product Name</b>	Drill Driver	Impact Driver	Hammer Drill Driver	3 Mode Hammer	High Torque Impact Wrench
<b>Voltage</b>	10.8V	10.8V	18V	18V	20V
<b>No Load Speed</b>	0 - 400 / 0 - 1500 rpm	0 - 2450 rpm	0 - 575 / 2000 rpm	0 - 1500 rpm	0 - 400 / 1200 / 1900 rpm

### CONCRETE



<b>Model</b>	DWD014-XD	DWD024K-B1	D25143K-XD	D25901K-B1	DW862-B1
<b>Product Name</b>	10mm Rotary Drill	13mm Rotary Drill	3 Mode Compact Hammer	10kg Demolition Hammer	110mm Tile Cutter
<b>Voltage</b>	550W	650W	900W	1550W	1270W
<b>No Load Speed</b>	0 - 2800 rpm	0 - 2800 rpm	0 - 1450 rpm	-	-

### METAL WORKING



<b>Model</b>	DW810B	DWE8200S	DW830	D28491	DWE886S-B1
<b>Product Name</b>	4" Grinder	Slide Switch SAG	125mm MAG	7" Grinder	Slide Switch Die Grinder
<b>Voltage</b>	680W	850W	1400W	2000W	400W
<b>No Load Speed</b>	11000 rpm	12000 rpm	10000 rpm	8500 rpm	-

### SAW & WOOD WORKING



<b>Model</b>	D28720-XD	DW714-XD	DWE561	DW331K	D26676
<b>Product Name</b>	14" Chop Saw	Compound Miter Saw	Compact Circular Saw	Heavy Duty Jig Saw	Portable Planner
<b>Voltage</b>	2200W	1600W	1200W	701W	550W
<b>No Load Speed</b>	3800 rpm	5000 rpm	5500 rpm	-	17000 rpm

# STANLEY

**STANLEY**  
**2 YEAR**  
**LIMITED**  
**WARRANTY**

**MAKE SOMETHING GREAT™**

**CORDLESS**

**Model : SCD12S2**  
Product : Li-ion Drill Driver  
Voltage : 10.8 V  
No Load Speed : 0 - 400 / 0 - 1500 rpm  
Weight : 1 kg



**METAL WORKING**

**Model : STGT5100 (4")**  
Product : Toggle Switch Grinder  
Power Input : 580 W  
No Load Speed : 12000 rpm  
Weight : 1.55 kg



**Model : STGS8100 (4")**  
Product : Small Angle Grinder  
Power Input : 850 W  
No Load Speed : 11000 rpm  
Weight : 2.2 kg



**Model : SBI201D2K-B1**  
Product : Brushless Impact Driver  
Voltage : 18 V  
No Load Speed : 0 - 2700 rpm  
Weight : 6.1 kg



**Model : STEL670-B1**  
Product : Heat Gun  
Power Input : 2000 W  
Operating Temp. : 50 - 450 / 90 - 600 °C  
Weight : 0.59 kg



**Model : STEL861-B1**  
Product : Die Grinder  
Power Input : 500 W  
No Load Speed : 30000 rpm  
Weight : 0.59 kg



**CONCRETE**

**Model : STDR5510-XD**  
**10mm Rotary Drill**  
Power Input : 550 W  
No Load Speed : 0 - 2800 rpm  
Weight : 1.55 kg



**Model : STDH7213V**  
**13mm Percussion Drill**  
Power Input : 720 W  
No Load Speed : 0 - 3000 rpm  
Weight : 1.5 kg



**SAW & WOOD WORKING**

**Model : STST1825**  
**Table Saw**  
Power Input : 1800 W  
No Load Speed : 4800 rpm  
Weight : 30.55 kg



**Model : STEL721**  
**254mm Miter Saw**  
Power Input : 1500 W  
No Load Speed : 5500 rpm  
Weight : 12.5 kg



**Model : STEL506K-XD**  
**22mm Rotary Hammer**  
Power Input : 750 W  
No Load Speed : 0 - 1050 rpm  
Weight : 2.8 kg



**Model : STHM5KHV-XD**  
**5kg Demolition Hammer**  
Power Input : 1010 W  
Impact per Min. : 2900 rpm  
Weight : 6.1 kg



**Model : STEL630**  
**Portable Planner**  
Power Input : 750 W  
No Load Speed : 16500 rpm  
Weight : 2.7 kg



**Model : SJ60-XD**  
**Jig Saw**  
Power Input : 600 W  
No Load Speed : 500 - 3000 rpm  
Weight : 1.9 kg



**BLACK+DECKER**

**BLACK+DECKER**  
**1**  
YEAR  
LIMITED  
WARRANTY



**KP600-XD SS**  
60W Car Polisher



**PD1820L-GB 18V**  
18V Lithium Flexi Dustbuster



**BDWD15**  
15L 1400W Wet and Dry Multifunction Vacuum Cleaner



**KS701E-B1**  
Variable Speed Jigsaw



**BEMW471BH-XD**  
38CM Lawnmower



**GL5530-B1**  
530W String Trimmer & City Mower



**GSL700KIT-B1**  
7V Shear Shrubber Kit



**GT4245-B1**  
420W Hedge Trimmer



**GWC1820PC**  
18V Power Boost Blower

**STANLEY**<sup>®</sup>

**STMT74177-8**  
10pcs Offset Double Ring Module  
Offset Double Ring Wrench :  
6x7, 8x9, 10x12, 11x13, 12x14, 14x15, 16x17, 18x19, 21x23, 22x24mm



**STMT74178-8**  
16 pcs Combination Wrench Module (CWF)  
Combination Wrench :  
6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24 mm



**STMT74179-8**  
4 pcs Pliers Module



**STMT74180-8**  
4 pcs Circlips Pliers Module



**STMT74181-8**  
8 pcs Screwdrivers Module



**STMT74182-8**  
6 pcs Torx Screwdrivers Module




**STMT74173-8C**  
23 pcs 1/2" Metric Socket Set - 6pt



**STMT74897-8C**  
16 pcs Slimline Combination Wrench Module Set



**STMT75095-8C**  
23 pcs 1/2" Drive Socket with Flex Wrench Module Set



**89-509**  
43 pcs 1/2" Drive Socket Set - 12pt



**86477-6**  
27 pcs 1/2" Drive Socket Set - 6pt  
Included :  
20 pcs 1/2" dr 6 pt sockets  
5 pcs 1/2" dr accessories



**86477**  
27 pcs 1/2" Drive Socket Set - 12pt  
Included :  
20 pcs 1/2" dr 12 pt sockets  
5 pcs 1/2" dr accessories



**86-478**  
27 pcs 1/2" Drive Socket Set - 12pt  
Included :  
20 pcs 1/2" dr 12 pt sockets  
5 pcs 1/2" dr accessories



**86-589-1**  
25 pcs 1/2" Drive Socket Set - 6pt  
Included :  
17 pcs 1/2" dr 6 pt sockets  
6 pcs 1/2" dr accessories



**93-545**  
Tray Cantilever Box  
Dimension :  
466 mm (W) x 204.5 mm (D) x 232 mm (H)



**STST73100-8**  
19" Metal Tool Box - 1 Drawer  
Dimension :  
221 mm (W) x 471 mm (D) x 256 mm (H)



**STST74301-8**  
16" Tool Set Case - Clear  
Dimension :  
408 mm (W) x 281 mm (D) x 60 mm (H)



**STMT74158-8**  
77 pcs Tray Cantilever Module (CWF)

**STANLEY**



**95-385-1V**  
Bracing Grease Gun  
Dimension :  
400 mm (D) x 80 mm (W) x 140 mm (H)



**STMT73590-8**  
Torque Wrench  
Range :  
40 - 200 Nm 33.2 - 151.2 FT.LB.




**STMT74157-8**  
135 pcs 4 Door Roller Cabinet Set

Included :

Long Nose Pliers, Diagonal Pliers, Linesman Pliers, Screwdriver Set, Cushion Grip Slotted Screwdrivers, Phillips Screwdrivers, 1/2" dr 6pt Standard Sockets, 1/2" Spark Plug Socket, 1/2" Flip Drive Ratchet, 1/2" Extension Bar, 1/2" dr Universal Joint, 1/2" Drive Socket Set, 1/2" 6pt Deep Sockets, Adapter 3/8" dr F\*1/2" dr M, 70 Offset Ring Wrenches, Wrench Combination Slimline, Hex Key Set Chrome Ball Tip MM, Hex Key Set Torx Folding, Adjustable Wrench, Curves Jaw Locking Pliers, Pin Punch, Cold Chisel, Center Punch, Ball Pein Hammer, Mallet Hammer, Feeler Gauge-Brand Expert, Detection Screwdriver, Flex Head Set, Spark Plug Socket, Retractable Utility Knife.



**89-099-1**  
7 pcs 1/2" Drive Hex Bit Socket Set  
Included :  
7 pcs 1/2" dr Hex bit sockets  
1 blow-mold case



**87-011-1**  
8 pcs Slimline Combination Wrench Set  
Slimline Wrench :  
8, 10, 11, 13, 14, 17, 19, 22 mm



**93-616**  
23 pcs Combination Wrench Set  
Wrench Size :  
6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 27, 30, 32 mm



**STST74316-8**  
18" Case Trolley Cart  
Dimension :  
412 mm (D) x 456 mm (W) x 805 mm (H)



**87-576-1**  
75° Offset Ring End Wrench Set  
8 in 1 Slimline Wrench :  
6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm

**87-617-3**  
75° Offset Ring End Wrench Set  
10 in 1 Slimline Wrench :  
6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27 mm



**STMT80944-8**  
14 pcs Combination Wrench Basic (CWB) Black Pouch Set - Metric  
Wrench Size :  
8, 9, 10, 12, 13, 14, 17, 19, 21, 22, 24, 27, 30, 32 mm

**STMT80946-8**  
14 pcs Combination Wrench Basic (CWB) Black Pouch Set - Metric  
Wrench Size :  
1, 4, 8, 9, 10, 12, 13, 15, 16, 17, 18, 20, 21, 22, 24 mm



**87-036-1**  
14 pcs Slimline Combination Wrench Set  
Slimline Wrench :  
8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 24 mm

**87-038-1**  
14 pcs Slimline Combination Wrench Set  
Slimline Wrench :  
10, 11, 12, 13, 14, 17, 19, 21, 22, 23, 24, 26, 30, 32 mm

**87-036-1**  
14 pcs Slimline Combination Wrench Set  
Slimline Wrench :  
3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"



**87-712**  
7 pcs Double Open End Wrench Set  
Slimline Wrench :  
3/2" x 5/16", 3/8" x 7/16", 1/2" x 9/16", 9/16" x 5/8", 11/16" x 3/4", 13/16" x 7/8", 15/16" x 1"

**87-716-1**  
6 pcs Double Open End Wrench Set  
Slimline Wrench :  
6x7, 8x9, 10x11, 12x13, 14x15, 16x17 mm

**87-718-1**  
8 pcs Double Open End Wrench Set  
Slimline Wrench :  
6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm



**1**  
PHASE

350W



**1**  
PHASE

750W



**1**  
PHASE

1100W



**Drilling Machines Series**  
(13mm / 16mm / 25mm)



**4" / 6" American Type  
Drill Press Vice**



**6" / 8" Bench Vice  
with Anvil**



Motor :  
3000 W

**16" Cut Off Machine**  
(Single-Phase / Three-Phase)




BS-B Stand  
for Bench Grinder



**6" / 8" / 10" Bench Grinder**



**3" Bench Grinder**  
BP-75L200 (200W)  
BP-75H300 (300W)



**BP-46N Belt and Disc Sander**



**2 Ton Hand Stacker**  
(1.6m)



**350kg Drum Lifter**



**150kg / 350kg / 500kg  
Scissor Lift**



**3 Ton Hand Pallet Truck**  
(685 x 1220 x 85mm)



**2 Ton Small Trolley Jack**



**3 Ton-Hydraulic Jack**



**3 Ton Dual Pump  
Ultra Low Level Jack**

Min. Height :  
75 mm  
Max. Height :  
500 mm



**MK-VC9540 1000W 40 Litre  
Wet & Dry Vacuum Cleaner**



**MK-VC7275 2000W 75 Litre  
Wet & Dry Vacuum Cleaner**



# shindaiwa

Diesel Engine Driven Welding Generator



**DGW300M Diesel Generator / Welder**  
(300 amp)



**DGW500DM Diesel Generator / Dual Welder**  
(500 amp)



# LONCIN



**WG6500M-1 (5 kW)**  
Petrol Welder Generator



**D7500D (5 kW)**  
Diesel Generator



**LC8000D-A (6 kW)**  
Petrol Generator



**LC10000D-AS (7.5 kW)**  
Electric Start Petrol Generator

# QUASA

POWERING CHANGE



**SUD-65EWN 2W**  
Open Type Diesel Welder Generator  
(5.0 kW)



**UPW-160AW 160 AMP**  
Petrol Engine Welder  
(2.8 kW)

# AUWELD

DELIVERING POWERFUL PERFORMANCE



**Battery Charger A-20 (12/24V)**  
Rated Current (A) = 30



**Battery Charger A-40 (12/24V)**  
Rated Current (A) = 50



**Battery Charger A-70 (12/24V)**  
Rated Current (A) = 70



LH 188V



LH 200VB



LH 350V



LH 400V



Mist Fan LH 8010V



Mist Fan LH 8020V



LH 450V



LH 980V

1 PHASE



F900 / F1200 / F1500  
Super Large Industrial Fan



26" / 30"  
Industrial Stand / Wall Fan



HMG 368  
Speedy Sweeper

Specification

Model	HMG 368
Drive	Manual
Net Weight (kg)	23.80
Dimension (mm)	1300 x 790 x 1035
Max. Theoretical Area Performance (m <sup>2</sup> /hour)	3680
Working with 2-side Brushes (mm)	920
Container Capacity (Litre)	40



HPW H-150  
Max. Pressure : 105 Bar  
Power : 1500W



HPW V-1500  
Max. Pressure : 105 Bar  
Power : 1500W



HPW V-1900  
Max. Pressure : 135 Bar  
Power : 1900W



HPW V-2200  
Max. Pressure : 165 Bar  
Power : 2200W



**Jaguar Air Compressor**

Model	RV65
Power	2.0 HP
Tank	100 Litre
Pressure	8 Bar

**Jaguar Engine Driven Air Compressor**

Model	HR V80-MZ175
Power	5.5 HP
Tank	160 Litre
Pressure	12 Bar

**Jaguar Vertical Air Compressor**

Model	HET80 V200
Power	5.5 HP
Tank	200 Litre
Pressure	10 Bar

**Jaguar Air Compressor**

Model	RT80
Power	5.5 HP
Tank	160 Litre
Pressure	8 Bar



**XX19**  
Air Blow Gun



**XX19A**  
Air Blow Gun



**Portable**  
Air Compressor

**Specification**

Model	V-824
Power	2 HP
Tank	24 Litre
Pressure	8 Bar



**Twin Hose**  
Size : 6.5 mm  
Working Pressure : 400 psi  
Length : 90 m/roll



**5/16 LPG Air Hose**  
Size : 7.9 mm  
Length : 50 m/roll



**Korea High Pressure Yellow Hose**  
Size : 8.5 mm  
Working Pressure : 850 psi  
Length : 90 m/roll

**HAT4520 1/2" Air Impact Wrench**

Capacity Bolt Size : 18 mm

Max Torque : 720 Nm

**HAT4550 1/2" Air Impact Wrench**

Capacity Bolt Size : 18 mm

Max Torque : 500 Nm

**HAT6950 3/4" Air Impact Wrench**

Capacity Bolt Size : 21 mm

Max Torque : 1300 Nm

**HAT61700 3/4" Air Impact Wrench**

Capacity Bolt Size : 32 mm

Max Torque : 1700 Nm

**HAT11800 1" Twin Hammer  
Air Impact Wrench**

Capacity Bolt Size : 35 mm

Max. Torque : 1800Nm

**HAT12300 1" Air Impact Wrench**

Capacity Bolt Size : 45 mm

Max Torque : 3200 Nm

**HAT12600 1" Pinless Hammer  
Air Impact Wrench**

Capacity Bolt Size : 45 mm

Max Torque : 2600 Nm

**HAT465 1/2" Air Ratchet Wrench**

Capacity Bolt Size : M13 mm

Max Torque : 88 Nm

**HAT640 1/4" & 64060 Air Die Grinder**

Free Speed : 25000 / 25000rpm

Net Weight : 0.37 / 0.60 kg

**HAT510K 5" Air Sander**

Free Speed : 11000 rpm

Net Weight 0.7kg

**HAT510KD 5" Air Sander with Dust**

Free Speed : 10000 rpm

Net Weight : 0.9kg

**HAT413K 4" & 713K 7"  
Pneumatic Grinder**

No Load Speed: 12000 - 14000rpm / 7000 - 8000rpm

Net Weight : 0.95kg / 3.0kg

**HAT64K 1/4" Air Needle Scaler**

Blow Per Minute : 4000 bpm

Net Weight : 1.92 kg

**HAT318R Reversible Air Drill**

Free Speed : 1800 rpm

Net Weight : 1.06kg

**HAT150 Air Hammer**

Blow per Minute : 4500 bpm

Net Weight : 1.02 kg

# Total Safety Solutions

We place strong emphasis on the protection of our customers and their investments.

Advocating the importance of creating a safe, clean and healthy working environment by providing effective equipment and solutions covering the areas of personal protection, fall protection and emergency response solutions.

Our business is dedicated to protect people, products and the environment. We aim to be the most preferred supplier and innovative producer of occupational safety, health and environment protection products in Malaysia.

We ensure our safety division provides high quality products and value-added services to our valued customers and partners at an acceptable price and returns for the company.



**Foot Protection**



**Personal Protection**



**Fire Protection**



**Safety Helmet**  
(Colour : Yellow / Blue / White)



**Faceshield Visor Holder with Clear Visor**



**Safety Cap**  
(Colour : Yellow / Orange)



**Safety Ear Muff**



**Filter Respirator**  
(Single / Double Filter)



**N95 Particulate Respirator**  
(with / without Valve)



**3 Ply Ear-loop Surgical Face Mask**  
(50pcs / box)



**Reusable Ear Plugs**  
(with Plastic Case)



**Back Support Belt**  
(Size : M / L / XL / XXL)



**Fully Adjustable Back Support Belt**  
(Size : S / M / L / XL / XXL)



**Full Body Harness c/w Lanyard**  
(with Large Hook and Energy Absorber)



**AUSAFE 600 Safety Reflective Straps**  
(Colour : Yellow / Orange / Blue / Pink)



**HS700 Safety Vest**  
(Colour : Yellow / Orange)



**HS724 Safety Vest**  
(Colour : Yellow / Orange)



**HS730 Safety Vest**  
(Colour : Yellow)



**HS758 Safety Vest (Multi-pocket)**  
(Colour : Yellow)



**Safety Rain Coat**  
(Colour : Yellow / Orange)



**T310 FR Cotton Coverall**



**T110 and T210 FR Cotton Jacket and Trousers**



**Double Elastic Non-woven Mob Cap**



**Disposable PE Apron**  
(70cm x 140cm)



**303-2 Safety Glasses (Anti-scratch)**  
(Lens : Clear)



**988C Safety Glasses**  
(Lens : Clear)



**AL9004M Sports Sunglasses**  
(Lens : White Water Mercury)



**0407Y Safety Glasses**  
(Lens : Yellow)



**9988C Safety Glasses**  
(Lens : Clear)



**9988D Safety Glasses**  
(Lens : Dark Grey)



**9988S Safety Glasses**  
(Lens : Smoke)



**YJ801S Safety Glasses**  
(Lens : Silver)

# uvex

PROTECTION PROFESSION



**I-VO Safety Glasses**  
9160.064 (Lens : Blue)



**I-VO Safety Glasses**  
9160.076 (Lens : Grey)



**I-VO Safety Glasses**  
9160.265 (Lens : Clear)



**Sportstyle Safety Glasses**  
9193.277 (Lens : Grey)



**Sportstyle Safety Glasses**  
9193.376 (Lens : Clear)



**Whisper Reusable Earplugs**  
2111.217



**X-fit Disposable Earplugs**  
2112.010



**K1 Safety Earmuffs**  
2600.001



DELIVERING POWERFUL PERFORMANCE



**Leather Welding Jacket**



**Leather Welding Arm Sleeves**



**Cut Resistant Arm Sleeves with Thumbhole**



**Leather Welding Apron**  
(Size : 2ft x 3ft / 2ft x 4ft )



**Cross Back Strap Premium Leather Apron**  
(Size : 80 cm x 100 cm)



**Leather Gloves**



10.5" Half Leather Hand Glove  
Thickness : ★★☆☆



10.5" Half Leather Hand Glove  
Thickness : ★★★★★★



10.5" Furniture Hand Glove  
Thickness : ★★★★★★



14" Funta Full Leather Glove (Red)  
Thickness : ★★★★★★



14" Full Leather Glove (Blue)  
(Super Premium Grade)  
Thickness : ★★★★★★



13" Full Leather Glove (Blue)  
(Premium Grade)  
Thickness : ★★★★★★



13" Full Leather Glove (Orange)  
(Premium Grade)  
Thickness : ★★★★★★



13" Full Leather Glove (Green)  
(Premium Grade)  
Thickness : ★★★★★★

**Cotton Gloves**



Cotton Glove  
(Model : B104)



Cotton Glove  
(Model : B105)



Cotton Glove  
(Model : B105B)



Cotton Glove  
(Model : B106)



Cotton Glove  
(Model : B108)



Cotton Glove  
(Model : 1500)



Cotton Glove  
(Model : 1800)



**Heat Resistant Gloves**



14" Heat Resistant Hand Glove



15" Ceramic Fiber Heat Resistant Glove  
(Temperature up to 550°C)



14" Heat Resistant Half Guard Glove  
(Temperature up to 500°C)



14" Heat Resistant Full Guard Glove  
(Temperature up to 500°C)



16" Heat Resistant Leather Working Glove  
(Model : HG870)

**Cut Resistant Gloves**



10" Cut Resistant Glove  
(Level 5)



Stainless Steel Cut Resistant Glove

**TIG Welding Gloves**



TIG Leather Welding Glove

**Rubber Gloves**



9" Nitrile Glove  
(Size : S / M / L)



Rubber Palm Coated Glove  
(Model : 4101 / 4301)



Rubber Coated Glove  
(Model : HG490)



Household Rubber Glove  
(Model : HG380)



12" Butterfly Red Rubber Glove



13" Butterfly Blue Yellow Rubber Glove



13" Green Solvent Resistant Nitrile Glove



13" Elephant King Black Rubber Glove



15" Butterfly Red Rubber Glove

## Hercules Safety Shoes



### Premium Safety Shoes Series



**R300 Safety Shoes**

Upper Genuine Leather  
 Toe Cap Steel  
 Midsole Steel Plate  
 Outsole Rubber  
 Size UK 5 - 11



**R355 Safety Shoes**

Upper Genuine Leather  
 Toe Cap Steel  
 Midsole Steel Plate  
 Outsole Rubber  
 Size UK 4 - 11



**R601 Safety Shoes**

Upper Genuine Leather  
 Toe Cap Steel  
 Midsole Steel Plate  
 Outsole Rubber  
 Size UK 5 - 11



**R655 Safety Shoes**

Upper Genuine Leather  
 Toe Cap Steel  
 Midsole Steel Plate  
 Outsole Rubber  
 Size UK 4 - 12



**R658 Safety Shoes**

Upper Genuine Leather  
 Toe Cap Steel  
 Midsole Steel Plate  
 Outsole Rubber  
 Size UK 5 - 11



**R668 Safety Shoes**

Upper Genuine Leather  
 Toe Cap Steel  
 Midsole Steel Plate  
 Outsole Rubber  
 Size UK 5 - 11



**R921 Safety Shoes**

Upper Genuine Leather  
 Toe Cap Steel  
 Midsole Steel Plate  
 Outsole Rubber  
 Size UK 5 - 11



**R922 Safety Shoes**

Upper Genuine Leather  
 Toe Cap Steel  
 Midsole Steel Plate  
 Outsole Rubber  
 Size UK 5 - 11

### Professional Safety Shoes Series



**P304 Safety Shoes**

Upper Split Leather  
 Toe Cap Steel  
 Midsole Steel Plate  
 Outsole PU / PU  
 Size UK 4 - 12



**P319 Safety Shoes**

Upper Split Leather  
 Toe Cap Steel  
 Midsole -  
 Outsole PU / PU  
 Size UK 3 - 12



**P320 Safety Shoes**

Upper Cow Leather  
 Toe Cap Steel  
 Midsole Steel Plate  
 Outsole PU / PU  
 Size UK 3 - 12



**P610 Safety Shoes**

Upper Split Leather  
 Toe Cap Steel  
 Midsole Steel Plate  
 Outsole PU / PU  
 Size UK 5 - 12



**R305 Safety Shoes**

Upper Flying Knitting Fibre  
 Toe Cap Steel  
 Midsole Steel Plate  
 Outsole Rubber  
 Size UK 5 - 11



**R306 Safety Shoes**

Upper Flying Knitting Fibre  
 Toe Cap Steel  
 Midsole Steel Plate  
 Outsole Rubber  
 Size UK 5 - 11



**R308 Safety Shoes**

Upper Flying Knitting Fibre  
 Toe Cap Steel  
 Midsole Steel Plate  
 Outsole Rubber  
 Size UK 5 - 12



**R309 Safety Shoes**

Upper First Grade Leather  
 Toe Cap Steel  
 Midsole Steel Plate  
 Outsole Rubber  
 Size UK 5 - 11



**R357 Safety Shoes**

Upper Embossed Tumble Leather  
 Toe Cap Steel  
 Midsole Steel Plate  
 Outsole Rubber  
 Size UK 5 - 11



**R369 Safety Shoes**

Upper Split Grain Leather  
 Toe Cap Steel  
 Midsole Steel Plate  
 Outsole Rubber  
 Size UK 5 - 12



**R378 Safety Shoes**

Upper KPU + Mesh Lining  
 Toe Cap Composite  
 Midsole Kevlar Plate  
 Outsole Rubber  
 Size UK 4 - 12



**R611 Safety Shoes**

Upper Embossed Tumble Leather  
 Toe Cap Steel  
 Midsole Steel Plate  
 Outsole Rubber  
 Size UK 5 - 11



**R612 Safety Shoes**  
 Upper Embossed Tumble Leather  
 Toe Cap Steel  
 Midsole Steel Plate  
 Outsole Rubber  
 Size UK 5 - 11



**R667 Safety Shoes**  
 Upper First Grade Leather  
 Toe Cap Steel  
 Midsole Steel Plate  
 Outsole Rubber  
 Size UK 5 - 11



**R679 Safety Shoes**  
 Upper Split Grain Leather  
 Toe Cap Steel  
 Midsole Steel Plate  
 Outsole Rubber  
 Size UK 5 - 12



**T697 Safety Shoes**  
 Upper Split Grain Leather  
 Toe Cap Steel  
 Midsole Steel Plate  
 Outsole TPU  
 Size UK 5 - 12



**R901 Safety Shoes**  
 Upper Cow Leather  
 Toe Cap Steel  
 Midsole Steel Plate  
 Outsole Rubber  
 Size UK 5 - 12



**R913 Safety Shoes**  
 Upper Embossed Split Leather  
 Toe Cap Steel  
 Midsole Steel Plate  
 Outsole Rubber  
 Size UK 5 - 12



**T698 Safety Shoes**  
 Upper First Grade Leather  
 Toe Cap Steel  
 Midsole Steel Plate  
 Outsole PU / TPU  
 Size UK 5 - 12

**ESD Safety Shoes Series**



**P346 Safety Shoes**  
 Upper Micro Fibre Leather  
 Toe Cap Composite  
 Midsole Kevlar Plate  
 Outsole PU / PU  
 Size UK 4 - 12



**P390 Safety Shoes**  
 Upper Flying Knitting Fibre  
 Toe Cap Steel  
 Midsole Steel Plate  
 Outsole PU / PU  
 Size UK 4 - 12



**R302 Safety Shoes**  
 Upper Cow Leather  
 Toe Cap Steel  
 Midsole Steel Plate  
 Outsole Rubber  
 Size UK 3 - 13



**R303 Safety Shoes**  
 Upper Split Leather  
 Toe Cap Steel  
 Midsole Steel Plate  
 Outsole Rubber  
 Size UK 5 - 12



**R310 Safety Shoes**  
 Upper First Grade Leather  
 Toe Cap Steel  
 Midsole Steel Plate  
 Outsole Rubber  
 Size UK 4 - 13



**R363 Safety Shoes**  
 Upper First Grade Leather  
 Toe Cap Composite  
 Midsole Kevlar Plate  
 Outsole Rubber  
 Size UK 5 - 11



**R664 Safety Shoes**  
 Upper First Grade Leather  
 Toe Cap Composite  
 Midsole Kevlar Plate  
 Outsole Rubber  
 Size UK 5 - 11



**R604 Safety Shoes**  
 Upper Cow Leather  
 Toe Cap Steel  
 Midsole Steel Plate  
 Outsole Rubber  
 Size UK 5 - 12



**R618 Safety Shoes**  
 Upper Split Leather  
 Toe Cap Steel  
 Midsole Steel Plate  
 Outsole Rubber  
 Size UK 5 - 12



**R903 Safety Shoes**  
 Upper Cow Leather  
 Toe Cap Steel  
 Midsole Steel Plate  
 Outsole Rubber  
 Size UK 5 - 12



**T303 Safety Shoes**  
 Upper Embossed Leather  
 Toe Cap Steel  
 Midsole Steel Plate  
 Outsole PU / TPU  
 Size UK 4 - 12



**T322 Safety Shoes**  
 Upper Nubuck Leather  
 Toe Cap Composite  
 Midsole Kevlar Plate  
 Outsole PU / TPU  
 Size UK 5 - 11

Hercules Safety Shoes



ESD Safety Shoes Series

⚡ Electrostatic Discharge (ESD)



**T902 Safety Shoes**  
 Upper Cow Leather  
 Toe Cap Steel  
 Midsole Steel Plate  
 Outsole TPU  
 Size UK 5 - 12



**T385 Safety Shoes**  
 Upper Full Grain Leather  
 Toe Cap Steel  
 Midsole Steel Plate  
 Outsole PU / TPU  
 Size UK 3 - 13



**T665 Safety Shoes**  
 Upper Cow Leather  
 Toe Cap Steel  
 Midsole Steel Plate  
 Outsole PU / TPU  
 Size UK 5 - 12



**T695 Safety Shoes**  
 Upper Full Grain Leather  
 Toe Cap Steel  
 Midsole Steel Plate  
 Outsole PU / TPU  
 Size UK 3 - 12

Chef Shoes



**Chef Shoes**  
 Material PVC  
 Insole PU  
 Colour Dark Blue  
 Size UK 5 - 12

Rain Boots Series



**903 Rain Boots**  
 Upper PVC  
 Lining No  
 Outsole Rubber  
 Colour Black / Brown  
 Size UK 5 - 10



**3000 Rain Boots**  
 Upper PVC  
 Lining No  
 Outsole Rubber  
 Colour Yellow / Black  
 Size UK 5 - 12



**Safety Rain Boots**  
 Upper PVC  
 Toe Cap Steel  
 Midsole Steel Plate  
 Outsole Rubber  
 Size UK 5 - 12

ESD Cleanroom Shoes

⚡ Electrostatic Discharge (ESD)



**E102 Cleanroom Shoes**  
 Upper PU  
 Outsole SPU  
 Color Blue / White  
 Size UK 2 - 12



**E105 Cleanroom Shoes**  
 Upper Canvas  
 Outsole SPU  
 Color Light Blue  
 Size UK 4 - 9



**E107 Cleanroom Shoes**  
 Upper Canvas  
 Outsole SPU  
 Color Dark Blue  
 Size UK 4 - 9



**E110 Cleanroom Shoes**  
 Upper Canvas  
 Outsole SPU  
 Color White  
 Size UK 4 - 9

Lifestyle Shoes

🏆 Premium Leather 🏆 Premium Quality



**R253 Lifestyle Shoes**  
 Style Slip-On  
 Upper Genuine Leather  
 Outsole Rubber  
 Color Mix Brown  
 Size UK 6 - 11



**R257 Lifestyle Shoes**  
 Style Lace-up  
 Upper Genuine Leather  
 Outsole Rubber  
 Color Brown  
 Size UK 6 - 11



**R265 Lifestyle Shoes**  
 Style Slip-On  
 Upper Genuine Leather  
 Outsole Rubber  
 Color Maroon  
 Size UK 6 - 11



**R266 Lifestyle Shoes**  
 Style Slip-On  
 Upper Genuine Leather  
 Outsole Rubber  
 Color Brown  
 Size UK 6 - 11



**R566 Lifestyle Shoes**  
 Style Side-zip  
 Upper Genuine Leather  
 Outsole Rubber  
 Color Brown  
 Size UK 6 - 11



**R568 Lifestyle Shoes**  
 Style Side-zip  
 Upper Genuine Leather  
 Outsole Rubber  
 Color Maroon  
 Size UK 6 - 11



**R577 Lifestyle Shoes**  
 Style Lace-up  
 Upper Genuine Leather  
 Outsole Rubber  
 Color Maroon  
 Size UK 6 - 11



**R578 Lifestyle Shoes**  
 Style Lace-up  
 Upper Genuine Leather  
 Outsole Rubber  
 Color Brown  
 Size UK 6 - 11

**Red Wing Safety Boots and Shoes**

**Style No. 3202**  
Petroking XT Men's Oxford



**Name**  
Petroking XT Men's Oxford  
**Upper**  
Full Grain Black Puma Leather  
**Footbed**  
Nylon Covered Polyurethane  
**Shank**  
Nylon  
**Colour**  
Black

**Style No. 3228**  
Petroking LT Men's 6-Inch Boot



**Name**  
Petroking LT Men's 6-Inch Boot  
**Upper**  
Full Grain Brown Leather  
**Footbed**  
Nylon Covered Polyurethane  
**Shank**  
Nylon  
**Colour**  
Brown

**Style No. 8241**  
Men's 9-Inch Pull-on Boot



**Name**  
Men's 9-Inch Pull-on Boot  
**Upper**  
Full Grain Brown Boomer Leather  
**Footbed**  
Double TEXON®  
**Shank**  
Fiberglass  
**Colour**  
Brown

**Style No. 6338**  
Men's Athletics



**Name**  
Petroking XT Men's Oxford  
**Upper**  
Full Grain Black Puma Leather  
**Footbed**  
Nylon Covered Polyurethane  
**Shank**  
Nylon  
**Colour**  
Black

**Style No. 2245**  
Men's 6-Inch Boot Brown



**Name**  
Men's 6-Inch Boot Brown  
**Upper**  
Amber Portage Leather  
**Footbed**  
PORON®  
**Shank**  
Steel  
**Colour**  
Brown

**Style No. 8249**  
Petroking XT Men's Oxford



**Name**  
Petroking XT Men's Oxford  
**Upper**  
Full Grain Black Puma Leather  
**Footbed**  
Nylon Covered Polyurethane  
**Shank**  
Nylon  
**Colour**  
Black

**Red Wing Heritage Boots and Shoes**

**Style No. 875 Men's 6-Inch Boot**



**Series**  
Classic MOC  
**Leather Type**  
Oro Legacy Leather  
**Hardware**  
Nickel Eyelets  
**Outsole**  
Traction Tred

**Style No. 1907 Men's 6-Inch Boot**



**Series**  
Classic MOC  
**Leather Type**  
Copper Rough & Tough Leather  
**Hardware**  
Dark Gun Metal Eyelets  
**Outsole**  
Traction Tred

**Style No. 8138 Men's 6-Inch Boot**



**Series**  
Classic MOC  
**Leather Type**  
Briar Oil Slick Leather  
**Hardware**  
Nickel Eyelets  
**Outsole**  
Traction Tred

**Style No. 8103 Men's Oxford**



**Series**  
Classic Oxford  
**Leather Type**  
Oro Russet Portage Leather  
**Hardware**  
Nickel Eyelets  
**Outsole**  
Traction Tred Cushion Crepe Wedge

**Style No. 8106 Men's Oxford**



**Series**  
Classic Oxford  
**Leather Type**  
Black Chrome Leather  
**Hardware**  
Nickel Eyelets  
**Outsole**  
Traction Tred

**Style No. 8085 Men's 6-Inch Boot**



**Series**  
Iron Ranger  
**Leather Type**  
Copper Rough & Tough Leather  
**Hardware**  
Nickel Eyelets and Hooks  
**Outsole**  
Vibram® 430 Mini-lug

**Leather Care and Protection**



**Style No. 97105**  
Mink Oil



**Style No. 97106**  
Brush



**Style No. 97108**  
Leather Protector



**Style No. 97110**  
Neutral Boot Cream



**Style No. 97113**  
Burgundy Boot Cream

**Red Wing T-Shirt**




**Style No. 94169**  
White Logo T-Shirt



**Style No. 94171**  
Black Logo T-Shirt

**Traffic Management Products**



PVC Traffic Cone



PVC Traffic Cone  
(Rubber Base)



Foldable Safety Traffic Cone  
(with Red Warning Light)



Triangle Traffic Cone  
(No Parking / Wet Floor)




Narrow Barrel  
(with Black Base)



Plastic Traffic Cone (Yellow / Black)  
(No Parking)




Reflective Handhold Traffic Sign



Reflective Handhold Traffic Sign  
(Extendable)



Bendable



PU Flexible Bar  
(Bendable)



Unbendable



TPE Bar  
(Unbendable)



Flexible



PE Flexible Bar  
(Rubber Base)



Top Hole Traffic Delineator Post  
(with Black Base)



Traffic Cone Bar



Safety Cone Topper  
(with Retractable Belt)




Traffic Cone Chain Connector

Length : 25 m  
Diameter : 6 mm



Plastic Chain



Connectable



Stainless Steel Barricade Stand  
with Red Retractable Belt




Traditional Rope Post



Stainless Steel Sign Holder  
(Size : A4 and A3)



Pop Up Foldable Tripod  
Warning Sign



**PVC Barrier Board with Holder**




**Foldable and Portable Barricade**




**Foldable and Portable Barricade (with Warning Light)**



**Fence Barrier**




**Portable Expanding Barricade**



**Portable Expanding Barricade with Wheels**



**24V LED Arrow Sign Light**



**LED Arrow Traffic Direction Sign**



**Solar Hazard Yellow Warning Light**



**6V Battery Hazard Yellow Warning Light**




**6V Lantern Battery**



**Visible Emergency Traffic Baton**


**Car Park and Building Management**



**Stainless Steel Foldable Sign Board (No Parking)**



**Collapsible Delineator Blade (with Rubber Base)**



**Rubber Corner Protection**



**Safety Floor Signs (No Parking)**




**Safety Floor Signs (Work In Progress)**



**Safety Floor Signs (Caution Wet Floor)**




**Safety Floor Signs (No Entry)**



**Rubber Speed Hump**

Speed Hump : 1000 mm (L) x 300 mm (D) x 40 mm (H)



**Rubber Speed Hump End Piece**

End Piece : 150 mm (L) x 295 mm (D) x 40 mm (H)



**Traffic Rubber Bump**

Rubber Bump : 1830 mm (L) x 300 mm (D) x 50 mm (H)



**Traffic Rubber Bump End Piece**

End Piece : 190 mm (L) x 300 mm (D) x 50 mm (H)




**25 mm Rubber Docking Bumper**

Bumper : 1000 mm (L) x 200 mm (D) x 25 mm (H)




**50 mm Rubber Docking Bumper**

Bumper : 1000 mm (L) x 130 mm (D) x 50 mm (H)



**Rubber Wheel Chock**

(Weight : 3.1kg)



**Reflective Kerb Ramp**




**Manual Parking Lock**  
(with Keys)



**Guard Safety Barrier**  
(Weight : 6.5 kg)



**Long Rubber Wheel Stop**



**Short Rubber Wheel Stop**



**Half Dome Mirror**  
(Diameter : 60 cm)



**Outdoor Polycarbonate Convex Mirror**  
(Diameter : 60 cm / 80 cm)



**Indoor Polycarbonate Convex Mirror**  
(Diameter : 60 cm / 80 cm)



**Dispencer Cart Spill Kit - Oil Only**  
(Volume : 120 Litre)

**Safety Tapes and Stickers**



**Printed Barrier Tapes**  
(Length : 50 m)



**PE Warning Barrier Tape**  
(Length : 200 m)



(Red / White)



(Yellow / Black)



(Yellow / Black with Arrow)



(Yellow)

**Reflective Sticker Tape**  
(Length : 5m)



**Vehicle Conspicuity Safety**



Emergency Road Triangle Reflector  
(with Plastic Case)



12V Vehicle Rotating Warning Light  
(with Magnetic Mounted)



PVC Triangle Safety Flag Rope Line  
(Length : 30m)



Warning Flag  
(Length : 25m)

**Signages and Boards**



Caution Signage Series  
(Size : 315 mm x 250 mm)



Danger Signage Series  
(Size : 315 mm x 250 mm)



No Smoking Board and Sticker  
(Size : 400 mm x 500 mm)



Signage Series  
(Size : 195 mm x 85 mm)






Your Solution to **FIRE SAFETY**



### Product Approvals



### Selection chart for use of Fire Extinguisher

Fire Classification	Fire Risk	Water	Foam	CO <sub>2</sub>	ABC Powder
Class A	Carbonaceous Materials (E.g. Wood, Paper, Cloth, etc.)	✓	✓		✓
Class B	Flammable and Combustible Liquids (E.g. Petrol, Oil, Pints, etc.)		✓	✓	✓
Class C	Flammable Gases				✓
Class D	Metal Fires				Special Powder
Class E	Electrically Energised			✓	✓



**ABC Dry Powder Fire Extinguisher**



**CO<sub>2</sub> Fire Extinguisher**



**Fire Hose Reels**



**1" Swinging Hosereel (Drum Only)**     **1" Swinging Hosereel Set (Brass / Nylon Nozzle)**

**Fire Hose Pipe**



**Reinforced PVC Hose (25mm x 30meter)**     **10 Bar Canvas Hose (65mm x 30 meter)**

**Fire Blanket**



**Fire Blanket (1.2m x 1.2m / 1.2m x 1.8m)**

**Fire Hose Reel Jet / Spray Nozzle**



**Twist Operated Hose Reel Jet / Spaty Nozzle (Brass / Nylon)**



**Jet / Spray Diffuser Nozzle (Standard)**



**JSN-001-AL Nozzle (Complete with Branchpipe)**

**Valves**



**Oblique Screw Landing Valve**



**Cast Iron 2 Way Pillar Hydrant c/w landing valve**

**Fire Safety Storage Box / Cabinet / Stand**



**Emergency Key Box**



**Nozzle Box**



**Fire Hose Reel Cabinet (Metal)**



**Canvas Hose Cabinet (c/w Leg and Lock)**



**Fire Extinguisher Cabinet (Metal)**

**Fire Alarm**



**Motorised Alarm Bell (150mm 24V DC)**



**Battery Operated Smoke Alarm**

**Respirator**



**Air Breathing Apparatus, SCBA (RHZK6/30-EC)**

**Fire Safety Wear**



**Aluminium Foil Fire Resistant Suit**



**LEEDEN HERCULES SDN. BHD.**  
**励登大力士有限公司**  
A Member of Leeden Group (Co. No. : 595657-M / 200201027994)



**Bukit Minyak (HQ)**

2249, Jalan IKS Bukit Minyak 1,  
Taman IKS Bukit Minyak, S. P. T.,  
14000 Bukit Mertajam, Penang.  
Tel : +604 501 5555 Fax : +604 501 5550 / 5551  
Email : mysales.hercules@leeden.com.my

**Alor Setar**

A-26, Ground Floor Susuran Bandar Baru Mergong,  
Persiaran Bandar Baru Mergong,  
05150 Alor Setar, Kedah.  
Tel : +604 732 8797 Fax : +604 732 3797  
Email : lhm.as@leeden.com.my

**Bagan Serai**

Batu 8 1/2, Jalan Parit Buntar,  
34300 Bagan Serai, Perak.  
Tel : +605 721 7797 Fax : +605 721 5797  
Email : lhm.bs@leeden.com.my

**Teluk Intan**

No 123A & 125, Jalan Industri 4,  
Anson Industrial Park, 36000 Teluk Intan, Perak.  
Tel : +605 621 5797 Fax : +605 621 4797  
Email : lhm.ti@leeden.com.my

**Tesco Rawang**

Lot MA2, Tesco Rawang, No. 1 Jalan Rawang,  
48000 Rawang, Selangor.  
Tel : +6013 368 2797  
Email : lhm.tescorawang@leeden.com.my

**Johor Bahru**

No.4, Jalan Canggih 12,  
Taman Perindustrian Cemerlang,  
81800 Ulu Tiram, Johor Bahru.  
Tel : +607 862 7113 Fax : +607 862 8767  
Email : lhm.jb@leeden.com.my

**Tesco Alma**

G43, 2323, Jalan Rozhan, Pusat Perniagaan Seri Impian,  
14000 Bukit Mertajam, Penang.  
Tel : +6017 551 0797  
Email : lhm.tescoalma@leeden.com.my

**Sungai Petani**

No. A-1 & A-2 Ground Floor, Taman Kampian,  
Jalan Sekerat, 08000 Sungai Petani, Kedah.  
Tel : +604 423 7797 / 423 0797 Fax : +604 425 7797  
Email : lhm.sp@leeden.com.my

**Ipoh**

196, Jalan Lahat, Falim,  
30200 Falim Perak.  
Tel : +605 281 7797 Fax : +605 281 6797  
Email : lhm.ip@leeden.com.my

**Shah Alam**

Lot 9, Jalan Api Api 26/1, Kawasan Hicom, Seksyen 26,  
40400 Shah Alam, Selangor.  
Tel : +603 5191 8797 Fax : +603 5192 8797  
Email : lhm.sa@leeden.com.my

**Kuantan**

B-3002, Jalan Haji Ahmad, OFF Jalan Berserah,  
25300 Kuantan, Pahang.  
Tel : +609 513 8797 Fax : +609 514 8797  
Email : lhm.kua@leeden.com.my

**Singapore**

7 Soon Lee Street, #01-24/25, iSPACE,  
Singapore 627608.  
Tel : +65 6397 5332  
Email : enquiry@theleedenstore.com

**House Brands :**



**Agent Brands :**

